

Citrine Wagtail. Tacumshin Lake, Co. Wexford, Ireland. 2nd June 2006.
Photo: Alyn Walsh.



List of Wagtails with References

Compiled by Joe Hobbs



Introduction

I have endeavoured to keep typos, errors, omissions etc in this list to a minimum, however when you find more I would be grateful if you could mail the details during 2018 & 2019 to: josephobbs@gmail.com.

Please note that this and other Reference Lists I have compiled are **not exhaustive** and are best employed in conjunction with other sources.

Grateful thanks to Alyn Walsh and Tom Shevlin (<http://irishbirds.ie/>) for the cover images. All images © the photographers.

Joe Hobbs

Index

The general order of species follows the International Ornithologists' Union World Bird List (**Gill, F. & Donsker, D.** (eds.) 2018. IOC World Bird List. Available from: <http://www.worldbirdnames.org/> [version 8.1 accessed January 2018]).

Version

Version 1.7 (February 2018).

Cover

Main image: Citrine Wagtail. Tacumshin Lake, Co. Wexford, Ireland. 2nd June 2006. Picture by Alyn Walsh.

Vignette: Yellow Wagtail. Tacumshin Lake, Co. Wexford, Ireland. 21st April 2003. Picture by Tom Shevlin.

| Species | Page No. |
|--|-----------------|
| African Pied Wagtail [<i>Motacilla aguimp</i>] | 21 |
| Cape Wagtail [<i>Motacilla capensis</i>] | 13 |
| Citrine Wagtail [<i>Motacilla citreola</i>] | 10 |
| Eastern Yellow Wagtail [<i>Motacilla tschutschensis</i>] | 9 |
| Forest Wagtail [<i>Dendronanthus indicus</i>] | 3 |
| Grey Wagtail [<i>Motacilla cinerea</i>] | 14 |
| Japanese Wagtail [<i>Motacilla grandis</i>] | 22 |
| Madagascar Wagtail [<i>Motacilla flaviventris</i>] | 13 |
| Mekong Wagtail [<i>Motacilla samveasnae</i>] | 21 |
| Mountain Wagtail [<i>Motacilla clara</i>] | 16 |
| White Wagtail [<i>Motacilla alba</i>] | 17 |
| White-browed Wagtail [<i>Motacilla maderaspatensis</i>] | 22 |
| Yellow Wagtail [<i>Motacilla flava</i>] | 4 |

Relevant Publications

- Alström, P. & Mild, K.** 2003. *Pipits & Wagtails of Europe, Asia and North America, Identification and Systematics*. Christopher Helm, A & C Black, London.
- Balmer, D. et al.** 2013. *Bird Atlas 2001-11: The breeding and wintering birds of Britain and Ireland*. BTO Books, Thetford.
- Beaman, M.** 1994. *Palaearctic birds: a checklist of the birds of Europe, North Africa and Asia north of the foothills of the Himalayas*. Harrier Publications, Stonyhurst, Lancashire.
- Bent, A.C.** 1965. *Life Histories of North American Wagtails, Shrikes and Vireos, and their Allies*. Dover Publications.
- Cramp, S.** (ed.) 1988. *Handbook of the Birds of Europe, the Middle East and North Africa, The Birds of the Western Palearctic, Volume 5 - Tyrant Flycatchers to Thrushes*. Oxford University Press.
- del Hoyo, J. et al.** (eds.) 2004. *Handbook of the Birds of the World. Volume 9, Cotingas to Pipits and Wagtails*. Lynx Edicions, Barcelona.
- Dittberner, H. & Dittberner, W.** 1983. *Die Schafstelze [Yellow / Blue-headed Wagtail]*. Westarp Wissenschaften.
- Glutz von Blotzheim, U.N. & Bauer, K.M.** (eds) 1985. *Handbuch der Vögel Mitteleuropas bd. 10/II*. Wiesbaden.
- Howell, S.N.G. et al.** 2014. *Rare Birds of North America*. Princeton University Press, Princeton and Oxford.
- Jenni, L. & Winkler, R.** 1994. *Moult and Ageing of European Passerines*. Academic Press.
- Keith, S. et al.** 1992. *The Birds of Africa: Volume IV - Broadbills to Chats*. Academic Press, London.
- Lewington, I. et al.** 1991. *A Field Guide to the Rare Birds of Britain and Europe*. HarperCollins.
- Olschegel, H.** 1985. *Die Bachstelze [White Wagtail]*. Westarp Wissenschaften.
- Parkin, D.T. & Knox, A.G.** 2010. *The Status of Birds in Britain & Ireland*. Christopher Helm, London.
- Simms, E.** 1992. *British Larks, Pipits & Wagtails*. HarperCollins, London.
- Snow, D.W. & Perrins, C.M.** (eds.) 1998. *The Birds of the Western Palearctic Concise Edition Volume 2, Passerines*. Oxford University Press.
- Svensson, L.** 1992. *Identification Guide to European Passerines (4th edition)*. Privately Published, Stockholm.
- van Duivendijk, N.** 2010. *Advanced Bird ID Guide, The Western Palearctic*. New Holland.
- van Duivendijk, N.** 2011. *Advanced Bird ID Handbook, The Western Palearctic*. New Holland.
- Vinicombe, K. et al.** 1989. *The Macmillan Field Guide to Bird Identification*. Macmillan Press, London and Basingstoke.
- Vinicombe, K. et al.** 2014. *The Helm Guide to Bird Identification*. Christopher Helm, London.

General Notes

- Alström, P. & Mild, K.** 2004. 'Biological', 'phylogenetic' and 'monophyletic' species - same or different? *Alula* 10(3): 96-103.
- Alström, P. & Ödeen, A.** Incongruence between mitochondrial DNA, nuclear DNA and non-molecular data in the avian genus *Motacilla*: implications for estimates of species phylogenies. Found in: **Alström, P.** 2002. *Species Limits and Systematics in Some Passerine Birds*. PhD thesis. Uppsala University, Uppsala.
- Baker, K.** 1996. Ageing passerines: some practical examples. *Birding World* 9(7): 280-282.
- Davies, N.B.** 1977. Prey selection and social behaviour in wagtails (Aves: Motacillidae). *Journal of Animal Ecology* 46: 37-57.
- Ericson, P.G.P. et al.** 2000. Major Divisions in Oscines Revealed by Insertions in the Nuclear Gene *c-myc*: A Novel Gene in Avian Phylogenetic. *The Auk* 117(4): 1069-1078.
- Fraser, M.** 2003. Inside stories: Avian revelations. Advance of the wagtails. *Birdwatch* 129: 10-11.
- Gantlett, S.** 1998. Bird forms in Britain. *Birding World* 11(6): 232-239.
- Harvey, B.** 2002. Field craft: Wagtails (Motacillidae). *Pitta* 138: 6-8.
- Maclean, N. et al.** 2005. Taxonomy for birders: a beginner's guide to DNA and species problems. *British Birds* 98(10): 512-537 (530).
- Mitchell, D.** 2011. Birds of Britain: subspecies checklist v1.1. [online PDF]. Available from: <http://www.birdwatch.co.uk/categories/articleitem.asp?cate=22&topic=155&item=800> [Accessed July 2011].
- O'Sullivan, O.** 2006. Discover birds: Pipits & Wagtails - Familiar insect eaters. *Wings* 42: 30-32.
- Piper, S.E.** 1982. Five years of wagtailing. *Safring News* 11(1): 5-8.
- Riddington, R.** 2000. Fair Isle. *Dutch Birding* 22(1): 1-12.
- Sangster, G. et al.** 1999. Dutch avifaunal list: species concepts, taxonomic instability, and taxonomic changes in 1977-1998. *Ardea* 87(1): 139-166.

- Sangster, G. et al.** 2009. Taxonomic recommendations for British birds: Sixth report. *Ibis* 152: 180-186.
- Sibley, C.G. & Ahlquist, J.E.** 1981. The relationships of the wagtails and pipits (Motacillidae) as indicated by DNA–DNA hybridization. *L'Oiseau et la Revue Française d'Ornithologie* 51: 189-199.
- Voelker, G. & Edwards, S.V.** 1998. Can Weighting Improve Bushy Trees? Models of Cytochrome *b* Evolution and the Molecular Systematics of Pipits and Wagtails (Aves:Motacillidae). *Systematic Biology* 47(4): 589-603.
- Voelker, G.** 1999. Dispersal, vicariance, and clocks: historical biogeography and speciation in a cosmopolitan passerine genus (*Anthus*: Motacillidae). *Evolution* 53(5): 1536-1552.
- Voelker, G.** 2002. Systematics and historical biogeography of Wagtails: dispersal versus vicariance revisited. *The Condor* 104(4): 725-739.

Forest Wagtail

Dendronanthus indicus [J.F.Gmelin].

S Ussuriland (Russian Far East) S to SW Sichuan, N Guizhou & N Fujian (SE China) and SW Honshu & NW Kyushu (Japan) and fragmented in the Cachar Hills (Assam, NE India). Winters S to Sumatra, Java, Borneo & Philippines.

1st WP Record: 10th October 2006. Al-Abraq Al-Khabari, Kuwait. Mike Pope and Brian Foster (Pope et al. 2006).

- Ali, S.** 1962. Migratory Wagtails in Kerala. *Journal of the Bombay Natural History Society* 59(1): 294-296.
- Anderson, R.C. & Baldock, M.** 2001. New records of birds from the Maldives, with notes on other species. *Forktail* 17: 67-73 (71).
- Arora, R.** 2017. First definitive documentation of Forest Wagtail *Dendronanthus indicus* from Okhla Bird Sanctuary, Delhi NCR. *Indian BIRDS* 13(1): 26-27.
- Baskaran, S.T.** 1999. Forest Wagtails in Madras Christian College Campus, Tambaram. *Newsletter for Birdwatchers* 39(2): 39.
- Choudhury, A.** 2006. Notable bird records from Mizoram in north-east India. *Forktail* 22: 152-155 (154).
- Curry-Lindahl, K.** 1980. The Forest Wagtail *Motacilla indica* recorded in Nepal. *Bulletin of the British Ornithologists' Club* 100(3): 201-202.
- Dharmakumarsinhji, R.S.** 1963. The Forest Wagtail *Motacilla indica* Gmelin in the Gir Forest, Saurashtra. *Journal of the Bombay Natural History Society* 60(1): 261.
- Fågel, P.** 2007. Kuwait - A Birding Destination at the Southeastern Corner of the Western Palearctic. *Alula* 13(4): 166-174 (photo 4, p. 168).
- George, P.V.** 1962. Migratory Wagtails in Kerala. *Newsletter for Birdwatchers* 2(4): 4-9.
- Gilroy, J.** 2002. Vagrancy: The stuff of dreams. *Birdwatch* 126: 27-29 (29).
- Inglis, C.M.** 1913. The Forest Wagtail (*Limoniidromus indicus*) in the Darbhanga District, Tirhoot. *Journal of the Bombay Natural History Society* XX(3): 625.
- Jamdar, N.** 1983. Occurrence of the Forest Wagtail (*Motacilla indica* Gmelin) in Nagzira Sanctuary, Bhandara District (Maharashtra). *Journal of the Bombay Natural History Society* 79(3): 671.
- Kannan, R.** 1985. Exodus of the Forest Wagtail from Madras. *Newsletter for Birdwatchers* 24(11-12): 3-4.
- Khacher, S.** 1990. Forest Wagtail *Motacilla indica* at Jasdan, Gujarat. *Journal of the Bombay Natural History Society* 86(3): 453.
- Knystautas, A.J.** 1991. Birds in the USSR – Birds of Russian forests. *Dutch Birding* 13(6): 213-216 (plate 212, p. 215).
- Lenin, J.** 2004. Forest Wagtail in Chennai, Tamil Nadu. *Newsletter for Ornithologists* 1(1-2): 28.
- Neelakantan, K.K.** 1969. Close association between the Grey Wagtail and the Forest Wagtail. *Newsletter for Birdwatchers* 9(7): 10-11.
- Neufeldt, I.** 1961. The breeding biology of the Forest Wagtail, *Motacilla indica* Gmelin. *Journal of the Bombay Natural History Society* 58(3): 559-588.
- Pfister, O.** 1999. Unknown Ladakh. *World Birdwatch* 21(4): 13-17 (16).
- Pfister, O.** 2001. Birds recorded during visits to Ladakh, India from 1994 to 1997. *Forktail* 17: 81-90 (86).
- Pope, M. et al.** 2006. The Forest Wagtail in Kuwait - a new Western Palearctic bird. *Birding World* 19(11): 482-483.
- Raj, P.J.S.** 1960. The Forest Wagtail, *Motacilla indica* (Gmelin), in Madras, Chingleput District. *Journal of the Bombay Natural History Society* 57(1): 220-221.

- Raj, P.J.S.** 1961. Further notes on the wintering of the Forest Wagtail, *Motacilla indica* (Gmelin) in India. *Journal of the Bombay Natural History Society* 58(1): 269.
- Raman, T.S. et al.** 2013. An expedition to Narcondam: observations of marine and terrestrial fauna including the island-endemic hornbill. *Current Science* 105(3): 346-360.
- Santharam, V.** 1993. Notes on Adayar Estuary, Hobby, Forest Wagtail and Woodpeckers. *Newsletter for Birdwatchers* 32(11-12): 15-17.
- Sharma, A.** 2003. Forest Wagtail and Chestnut-winged Cuckoo in Malda district, West Bengal. *Newsletter for Birdwatchers* 43(4): 60.
- Varu, M.S. et al.** 2005. Forest Wagtail at Jamnagar. *Flamingo* 3(2): 10.
- Varu, M.S. et al.** 2008. Forest Wagtail *Dendronanthus indicus* in Jamnagar medical campus. *Journal of the Bombay Natural History Society* 104(3): 349-350.

Yellow Wagtail

Motacilla flava [Linnaeus]

[*M.f. flava*] S Scandinavia W to France and C European mountain ranges E to the Urals. Winters sub-Saharan Africa.

[*M.f. flavissima*] Ireland (intermittently), Britain & adjacent coastal Europe. Winters Africa.

[*M.f. thunbergi*] C & N Scandinavia & N Estonia E thru Siberia to the R Kolyma. Winters mainly sub-Saharan Africa, possibly NE Africa and across S & SE Asia.

[*M.f. iberiae*] Iberia, SW France and NW Africa S to islands of Banc d'Arguin (Mauritania). Winters W & NC Africa.

[*M.f. cinereocapilla*] Italy, Sardinia, Sicily, SW Slovenia & NW Croatia. Winters along Mediterranean coast and Mali E to Lake Chad.

[*M.f. pygmaea*] Nile valley & NW Sinai (Egypt).

[*M.f. feldegg*] Bulgaria, S Romania, S Slovenia, W Croatia, Bosnia, S Serbia, Albania, Macedonia, Greece & Crete NE to S Ukraine and E to Turkey, E Mediterranean, Iraq, W Caspian, Iran, Afghanistan & S Kazakhstan E to L Balkhash, Lake Alakol and adjacent N Xinjiang (China). Winters mainly Nigeria E to Sudan and S to Uganda, Rwanda, Burundi & N DR Congo.

[*M.f. lutea*] SW Russia between lower R Volga and R Irtysh and N Kazakhstan E to L Chany & L Zaysan. Winters Africa & Indian subcontinent.

[*M.f. beema*] Upper R Volga E to SW Siberia and S to N Kazakhstan & Altai Mts and Ladakh & possibly also N Kashmir (W Himalayas). Winters mainly Indian subcontinent also Arabia & E Africa.

[*M.f. leucocephala*] NW Mongolia, N Xinjiang (extreme NW China) and adjacent parts of far eastern Russia. Winters in India probably.

The proposed form *melanogrisea* is included with *M.f. feldegg*.

The proposed form *plexa* is included with *M.f. thunbergi* but see Bot *et al.* 2014 (p. 297) for an examination of the *plexa-thunbergi* relationship.

The proposed form *superciliaris* is regarded as a *feldegg* x *flava* intergrade here.

The forms *leucocephala* and *plexa* might well be forms of Eastern Yellow Wagtail.

Other names: Western Yellow Wagtail, White-throated Wagtail (*cinereocapilla*, *pygmaea*, *iberiae*), Blue-headed Wagtail (*flava*), Yellow-crowned Wagtail (*flavissima*), Dark-headed Wagtail (*thunbergi*), Grey-headed Wagtail (*thunbergi*), Spanish Wagtail (*iberiae*), Iberian Yellow Wagtail (*iberiae*), Ashy-headed Wagtail (*cinereocapilla*), Egyptian Yellow Wagtail (*pygmaea*), Black-headed Wagtail (*feldegg*), Yellow-headed Wagtail (*lutea*), Sykes's Wagtail (*beema*), Turkestan Black-headed Wagtail (*melanogrisea*), White-headed Wagtail (*leucocephala*), North Siberian Yellow Wagtail (*plexa*), Channel Wagtail (*flava* x *flavissima*), Middlewest Wagtail (*flava* x *iberiae*).

Baron Christoph Feldegg (1780-1845), Austrian army officer and naturalist.

Col. William Henry Sykes (1790-1872), Indian army and naturalist. A director of the East India Company and MP for Aberdeen in later life. He gave the name *Budytes beema* to *M.f. beema* after the Bhima or Beema River in SW India where he first encountered this race.

Carl Peter Thunberg (1743-1828), Swedish doctor, botanist and traveller.

Alder, L.P. 2002. Notes: Yellow Wagtail feeding on berries of Elder. *British Birds* 95(2): 89.

Alexander, W.B. & Lack, D. 1944. Changes in status among British breeding birds. *British Birds* 38(3): 42-45(45).

Alström, P. & Mild, K. 2003. Identification matters: Flava flow. *Birdwatch* 131: 30-32.

Ashby, V. & Annenkova, S. 2004. Birding Kazakhstan. *Birding World* 17(6): 242-253 (244).

Aluhivare, R. & Ebels, E.B. 2016. Balkankwikstaart op Texel in april-mei 2016 [Black-headed Wagtail on Texel]. *Dutch Birding* 38(4): 228-232.

- Artemieva, E.A. et al.** 2016. Divergence of Populations of Yellow Wagtail, *Motacilla flava*, and Citrine wagtail, *Motacilla citreola* (Motacillidae, Passeriformes), in the Middle Volga of Russia. *Vestnik Zoologii* 50(2): 135-146.
- Aymí, R.** 1995. 'Grey-and-white' Yellow Wagtails in western Europe. *Dutch Birding* 17(1): 6-10.
- Aymí, R.** 1999. Identification of adult male yellow wagtails in winter plumage in western Europe. *Dutch Birding* 21(5): 241-253.
- Barthel, P.H.** 1988. Rätselvogel 6: Nördliche Schafstelze *Motacilla flava thunbergi* [Mystery Bird 6: Yellow Wagtail *Motacilla flava thunbergi*]. *Limicola* 2(4): 155-157.
- Bell, C.P.** 1995. *An enquiry into evolutionary aspects of geographic variation in birds, with special reference to the yellow wagtail Motacilla flava and the meadow pipit Anthus pratensis*. PhD Thesis, University of London.
- Bell, C.P.** 1996. Seasonality and time allocation as causes of leap-frog migration in the Yellow Wagtail *Motacilla flava*. *Journal of Avian Biology* 27(4): 334-342.
- Bell, C.P.** 1997. The relationship between geographic variation in clutch size and migration pattern in the Yellow Wagtail. *Bird Study* 43(3): 333-341.
- Bell, C.P.** 2007. Climate change and spring migration in the Yellow Wagtail *Motacilla flava*: an Afrotropical perspective. *Journal of Ornithology* 148(suppl.2): 495-499.
- Bell, C.P.** 2007. Timing of pre-nuptial migration and leap-frog patterns in Yellow Wagtails (*Motacilla flava*). *Ostrich* 78(Special Issue 2): 327-331.
- Berggy, J.** 2004. A Yellow Wagtail *Motacilla flava* near Port Macdonnell in South Australia. *South Australian Ornithologist* 34(5): 178-179.
- Biebach, H. et al.** 1986. Interaction of bodymass, fat, foraging and stopover period in trans-Sahara migrating passerine birds. *Oecologia* 69(3): 370-379.
- Bonaccorsi, G.** 2002. La Bergeronnette printanière à tête noire *Motacilla flava feldegg* en Corse. [Black-headed Wagtail in Corsica]. *Alauda* 70(1): 230-232.
- Boon, L.J.R.** 1990. Balkankwikstaart bij Delfzijl in mei 1988 [Black-headed Wagtail near Delfzijl in May 1988]. *Dutch Birding* 12(1): 1-2.
- Bourne, W.R.P.** 1993. Letters: Red Grouse, wagtails, and the classification and English names of birds. *British Birds* 86(9): 437-438.
- Bot, S. et al.** 2012. Witkeelkwikstaart bij Makkum in mei 2004 [White-throated Wagtail at Makkum in May 2004]. *Dutch Birding* 34(1): 32-37.
- Bot, S. et al.** 2014. Eastern yellow wagtails in Europe: identification and vocalisations. *Dutch Birding* 36(5): 295-311.
- Bowden, C.G.** 2001. The birds of Mount Kupe, southwest Cameroon. *Malimbus* 23: 13-44 (28).
- Bradbury, R.B. & Bradter, U.** 2004. Habitat associations of Yellow Wagtails *Motacilla flava flavissima* on lowland wet grassland. *Ibis* 146(2): 241-246.
- British Ornithologists' Union** 2006. British Ornithologists' Union Records Committee: 32nd Report (October 2005). *Ibis* 148: 198-201.
- British Ornithologists' Union** 2007. British Ornithologists' Union Records Committee: 35th Report (April 2007). *Ibis* 149: 652-654.
- British Ornithologists' Union** 2010. British Ornithologists' Union Records Committee: 38th Report (October 2009). *Ibis* 152: 199-204.
- Buckland, S.T. & Hereward, A.C.** 1982. Trap-shyness of Yellow Wagtails *Motacilla flava flavissima* at a pre-migratory roost. *Ringing & Migration* 4(1): 15-23.
- Campbell, O. & Pedersen, T.** 2011. Birding in the United Arab Emirates. *Birding World* 24(4): 160-176 (plate 26, p. 175).
- Carr, P.** 2011. Important Bird Areas: The British Indian Ocean Territory. *British Birds* 104(11): 642-659 (649).
- Chapman, A.H.** 1988. Notes: Yellow Wagtail roosting in wheatfield. *British Birds* 81(1): 29-30.
- Collinson, M.** 2000. Taxonomy: Lump sums. *Birdwatch* 101: 26-30.
- Combridge, P.** 2007. Letters: Grey-and-white Yellow Wagtails in autumn. *British Birds* 100(3): 181-183.
- Corso, A.** 1997. Letters: Appearance of Black-headed Wagtails. *Birding World* 10(9): 352.
- Corso, A.** 2001. Head pattern variation in Black-headed Wagtail. *Birding World* 14(4): 162-166.
- Czikeli, H.** 1985. Biochemical genetics in the yellow wagtail complex: Conservative avian protein evolution reconfirmed by isoelectric focusing. *Biochemical Systematics and Ecology* 13(2): 171-178.
- Davenport, L.J.** 1985. Letters: Black-headed Yellow Wagtails in western Europe. *British Birds* 78(10): 515.

- Desfayes, M. & Praz, J.C.** 1978. Notes on habitat and distribution of montane birds in southern Iran. *Bonner Zoologische Beiträge* 29(1-3): 18-37 (34).
- Disney, H.J. & Stokoe, R.** 1942. Notes: Blue-headed Wagtails in Staffordshire. *British Birds* 36(6): 113.
- Draaijer, L. & Slaterus, R.** 2012. Gemengd broedgeval van Citroenkwikstaart en Gele Kwikstaart bij Zeewolde in 2011 [Mixed breeding record of Citrine Wagtail and Blue-headed Wagtail at Zeewolde in 2011]. *Dutch Birding* 34(2): 85-91.
- Dubois, P.** 2001. Letters: Head pattern of Black-headed Wagtail. *Birding World* 14(9): 388.
- Dubois, P.** 2007. Yellow, Blue-headed, 'Channel', and extra-limital Wagtails: from myth to reality. *Birding World* 20(3): 104-112.
- Dubois, P.J. & Roy, E.** 2003. À propos des Bergeronnettes printanières (*Motacilla flava*) de la Cerdagne et du Capcir [The Yellow Wagtail in Cerdagne-Capcir, Pyrénées-Orientales]. *Ornithos* 10(1): 28-29.
- Dubois, P.J.** 2003. Bergeronnette centratlantique (*Motacilla flava flava* x *iberiae*) nicheuse en Auvergne [Breeding of 'Middlewest' Wagtail (*Motacilla flava flava* x *iberiae*) in Auvergne]. *Ornithos* 10(1): 26-27.
- Ejsmond, M.E.** 2008. The effect of mowing on next year predation of grassland bird nests: experimental study. *Polish Journal of Ecology* 56(2): 299-307.
- Fågel, P.** 2007. Kuwait - A Birding Destination at the Southeastern Corner of the Western Palearctic. *Alula* 13(4): 166-173 (photo 15, p. 171).
- Fisher, I. & Ahmed, R.** 2009. Notes: Identification of Citrine and Yellow Wagtails - a possible identification pitfall. *British Birds* 102(1): 34-35.
- Fraser, M.** 2003. ListCheck: Splits - Yellow Wagtail & Citrine Wagtail. *Birdwatch* 138: 12.
- Fry, C.H. et al.** 1972. Flight muscle hypertrophy and ecophysiological variation of Yellow wagtail *Motacilla flava* races at Lake Chad. *Journal of Zoology* 167(3): 293-306.
- Gantlett, S.** 2001. A Checklist of the Bird Forms of Britain and Ireland. *Birding World* 14(1): 19-20.
- Gantlett, S.** 2012. Grey-headed and other Yellow Wagtails. *Birding World* 25(5): 207-210.
- Gill, H.B.** 1966. The Yellow Wagtail *Motacilla flava* in Northern Queensland. *Emu* 66(4): 369-371.
- Gilroy, J.J. et al.** 2008. Could soil degradation contribute to farmland bird declines? Links between soil penetrability and the abundance of yellow wagtails *Motacilla flava* in arable fields. *Biological Conservation* 141(12): 3116-3126.
- Gilroy, J.J. et al.** 2009. Foraging habitat selection, diet and nestling condition in Yellow Wagtails *Motacilla flava* breeding on arable farmland. *Bird Study* 56(2): 221-232.
- Gilroy, J.J. et al.** 2010. Mid-season shifts in the habitat associations of Yellow Wagtails *Motacilla flava* breeding in arable farmland. *Ibis* 152(1): 90-104.
- Golley, M. & Byers, C.** 1993. Masterguide: Yellow perils. *Birdwatch* 12: 44-48.
- Gosnell, H.T.** 1933. Notes: Blue-headed Wagtail breeding in Kent. *British Birds* 27(5): 133-134.
- Grace, K. & Lancaster, A.A.K.** 1990. The Garinish Yellow Wagtail, and the separation of first-winter 'grey and white' Yellow Wagtail from Citrine Wagtail. *Irish Birding News* 1(1): 12-15.
- Gregory, T.C. & Hale, J.R.** 1942. Notes: Varieties of Blue-headed Wagtails breeding in Kent. *British Birds* 36(6): 112-113.
- Groenendijk, D. & van Saane, E.** 2008. Italiaanse Kwikstaarten te Camperduin en bij Flevocentrale in april 2006 [Ashy-headed Wagtails at Camperduin and near Flevocentrale in April 2006]. *Dutch Birding* 30(1): 7-12.
- Hathway, R. et al.** 1997. The Yellow-headed Wagtail on Scilly: a new British bird? *Birding World* 10(4): 136-137.
- Hazevoet, C.J.** 1999. Fourth report on birds from the Cape Verde Islands, including notes on the conservation and records of 11 new to the archipelago. *Bulletin Zoologisch Museum* 17(3): 19-32 (29).
- Hellström, M.** 2009. Gulärlor av rasen *feldegg* - Raritetskommitténs återgranskning av det Svenska fyndmaterialet [Black-headed Yellow Wagtail *M.f. feldegg* in Sweden - a review by the Swedish Rarities Committee]. *Vår Fågelvärld* 68(4): 32-37.
- Hereward, A.C.** 1979. The autumn moult of the yellow wagtail. *Ringing & Migration* 2(3): 113-117.
- Inskipp, T.P.** 1981. Mystery photographs: juvenile Black-headed Wagtail. *British Birds* 74(12): 517-519.
- Issa, N.** 2008. Nidification réussie d'une Bergeronnette des Balkans dans le Var [Male Black-headed Wagtail breeding in Var département]. *Ornithos* 15(1): 45-49.
- Jannes, H. & Lammin-Soila, M.** 1989. Nuorten sitruunavastarakkien *Motacilla citreola* errota minen 'harmaista' keltavastarakeista *Motacilla flava* [The separation of first-autumn Citrine Wagtail *Motacilla citreola* and 'grey and white' Yellow Wagtail *Motacilla flava*]. *Lintumies* 24: 108-113.

- Jansen, J.J.F.J. & Roselaar, C.S.** 2017. Bijzondere legsels uit Nederland in collectie van Naturalis Biodiversity Center [Rare clutches from the Netherlands in collection of Naturalis Biodiversity Center]. *Dutch Birding* 39(2): 73-80 (79).
- Johnson, E.D.H.** 1952. Reports on the movements of some commoner summer migrants at British Bird Observatories in 1951: Yellow Wagtail. *British Birds* 45(7): 245-247.
- Keddy, D.** 1997. Yellow Wagtails breeding at Kilcoole, Co. Wicklow. *Irish East Coast Bird Report* 1996 pp. 74-76.
- Kehoe, C.** 2006. Racial identification and assessment in Britain: a report from the RIACT subcommittee. *British Birds* 99(12): 619-645 (632-633).
- King, B.** 1983. New bird distribution data for Burma. *Natural History Bulletin of the Siam Society* 31: 55-62 (61).
- Kirby, W.B. et al.** 2012. Breeding ecology of Yellow Wagtails *Motacilla flava* in an arable landscape dominated by autumn-sown crops. *Bird Study* 59(4): 383-393.
- Kist, J. & Waldeck, K.** 1961. First record of *Anthus cervinus* and *Motacilla flava feldegg*. *Limosa* 34(1): 1-6.
- Kragten, S.** 2011. Shift in crop preference during the breeding season by Yellow Wagtails *Motacilla flava flava* on arable farms in The Netherlands. *Journal of Ornithology* 152(3): 751-757.
- Kylänpää, J.** 2000. Birds of Dera Ismail Khan District of North West Frontier Province in Pakistan. *Forktail* 16: 15-28 (26).
- Lancastle, B.** 1994. Eastern race Yellow Wagtail at Aust Sewage Farm. *Avon Bird Report* 1993 pp. 115-116.
- Lehto, H.** 1990. Possible hybrid between Yellow and Citrine Wagtails in Finland in May 1990. *Dutch Birding* 12(5): 248.
- Lehto, H.J. & Lehto, H.** 1997. Mixed pair of Black-headed and Citrine Wagtails breeding in Finland in 1997. *Dutch Birding* 19(6): 287-290.
- Leisler, B.** 1992. Habitat selection and coexistence of migrants and Afrotropical residents. *Ibis* 134(suppl.1): 77-82.
- Lewington, I.** 1988. Black-headed Wagtail in Oxfordshire. *Birding World* 1(6): 212.
- Madge, S.** 2000. British Vagrants: Citrine Wagtail - A twist of lemon. *Birdwatch* 98: 28-31.
- Marchant, J. & Beaven, P.** 2002. Yellow Wagtails sinking - Waterways Bird Survey's latest population trends. *Bird Populations* 6: 58-61.
- Marshall, A.J. & Williams, M.C.** 1959. The pre-nuptial migration of the Yellow Wagtail (*Motacilla flava*) from latitude 0.04'. *Proceedings of the Zoological Society of London* 132(3): 313-320.
- Martins, R.P. et al.** 1996. The status of passerines in southern Yemen and records of the OSME survey in spring 1993. *Sandgrouse* 17: 54-72 (57).
- Mason, C.F. & Lyczynski, F.** 1980. Breeding biology of the Pied and Yellow Wagtails. *Bird Study* 27(1): 1-10.
- Melville, D.** 1980. Some observations on birds in Irian Jaya, New Guinea. *Emu* 80(2): 89-91.
- Menzie, S.** 2016. Letters: Yellow Wagtails in northeast Catalonia. *British Birds* 109(11): 685-687.
- Millington, R.** 1991. Spring Citrine and Yellow Wagtails. *Birding World* 4(6): 205-206.
- Milne, B.S.** 1959. Variation in a population of Yellow Wagtails. *British Birds* 52(9): 281-295.
- Mitchell, O.** 1983. The breeding status and distribution of Snipe, Redshank and Yellow Wagtail in Sussex. *Sussex Bird Report* 1981 pp. 65-71.
- Morris, A.J. & Gilroy, J.J.** 2008. Close to the edge: predation risks for two declining farmland passerines. *Ibis* 150(suppl.1): 168-177.
- Nelson, S.H.** 2001. *The Ecology of the Yellow Wagtail Motacilla flava flavissima at Deeping St Nicholas, Lincolnshire*. MSc thesis, Cranfield University.
- Ödeen, A. & Björklund, M.** 2003. Dynamics in the evolution of sexual traits: losses and gains, radiation and convergence in yellow wagtails (*Motacilla flava*). *Molecular Ecology* 12(8): 2113-2130.
- Oliver, P.J.** 1997. The breeding birds of Inner London, 1966-94. *British Birds* 90(6): 211-225 (220).
- Oreel, G.J.** 1998. Egyptian Wagtail not breeding in Spain. *Dutch Birding* 20(2): 77.
- Owen, D.F.** 1969. The migration of the Yellow Wagtail from the equator. *Ardea* 57: 77-85.
- Parker, S.A.** 1971. First record of the Yellow Wagtail in the Northern Territory. *Emu* 71: 142.
- Pavlova, A, et al.** 2003. Phylogeographic patterns in *Motacilla flava* and *Motacilla citreola*: species limits and population history. *The Auk* 120(3): 744-758.
- Polak, M.** 2004. Biometry of young White Wagtails (*Motacilla alba*) and Yellow Wagtails (*Motacilla flava*) caught in the Gulf of Gdańsk region during autumn migration. *The Ring* 26(2): 69-78.
- Raman, T.S. et al.** 2013. An expedition to Narcondam: observations of marine and terrestrial fauna including the island-endemic hornbill. *Current Science* 105(3): 346-360.

- Robinson, J.** 2002. Notes: Yellow Wagtail stealing food from House Martins. *British Birds* 95(8): 393.
- Roth, T.** 2008. Outward (autumn) bird migration at the Southeastern Peninsula and Cape Greco, Cyprus: the phenologies of regular migrants. *Sandgrouse* 30(1): 77-89 (86).
- Rowlands, A.** 2003. From the Rarities Committee's files: 'Black-headed Wagtail' in Essex in 1999 - a suspected *feldegg* intergrade. *British Birds* 96(6): 291-296.
- Rowlands, A.** 2003. Identification matters: The Black-headed Wagtail that wasn't. *Birdwatch* 133: 21.
- Rowlands, A.** 2016. From the Rarities Committee's files: BBRC and Yellow Wagtails. *British Birds* 109(7): 389-411.
- Sammalisto, L.** 1961. An interpretation of variation in the dark-headed forms of the Yellow Wagtail. *British Birds* 54(2): 54-69.
- Schweizer, M.** 2005. Hybridization between Blue-headed Wagtail and Ashy-headed Wagtail in Switzerland. *Dutch Birding* 27(4): 235-241.
- Sharma, S.C.** 2005. White-headed Yellow Wagtail *Motacilla flava leucocephala* (Przevalski) near Delhi, India. *Indian BIRDS* 1(3): 70-71.
- Shirihai, H.** 1990. Possible hybrids between Yellow and Citrine Wagtail in Israel. *Dutch Birding* 12(1): 18-19.
- Shirihai, H. & Gellert, M.** Field characters of Sykes's Yellow Wagtail, pp. 49-53. Found in: **Grant, P.J.** *et al.* (eds.) 1987. *International Bird Identification (Proceedings of the 4th Meeting, Eilat 1-8 November 1986)*. International Birdwatching Center, Eilat and British Birds Ltd., Biggleswade.
- Shitikov, D. et al.** 2011. Breeding-site fidelity and dispersal in isolated populations of three migratory passerines. *Ornis Fennica* 88: 1-10.
- Shitikov, D. et al.** 2013. The demography of Yellow Wagtails *Motacilla flava* on abandoned fields in northern European Russia. *Bird Study* 60(4): 518-526.
- Shurulinkov, P. et al.** 2012. Blood parasites, body condition, and wing length in two subspecies of yellow wagtail (*Motacilla flava*) during migration. *Parasitology Research* 110(5): 2043-2051.
- Shurulinkov, P.S.** 2012. Presumed hybrid Black-headed x Black-backed Citrine Wagtail in Bulgaria in April 2011. *Dutch Birding* 34(2): 108-109.
- Slaterus, R.** 2009. Broedgeval van vermoedelijke Noordse Kwikstaart bij Spaarndam in 2008 [Breeding of presumed Grey-headed Wagtail near Spaarndam in 2008]. *Dutch Birding* 31(4): 211-217.
- Smith, V.W. & Ebbutt, D.** 1965. Notes on Yellow Wagtails *Motacilla flava* wintering in central Nigeria. *Ibis* 107(30): 390-393.
- Stiebel, H.** 1997. Habitat selection, habitat use and breeding success of Yellow Wagtail *Motacilla flava* in an agricultural landscape. *Die Vogelwelt* 118: 257-268.
- Stoddart, A. & Zetterström, B.** 2010. Identification: Yellow Wagtails. *Birdwatch* 215: 35-37.
- Stoddart, A.** 2013. Identification: Yellow and Citrine Wagtails Photo Guide. *Birdwatch* 251: 37-42.
- Stoddart, A.** 2016. Identification: Blue-headed, Spanish and Ashy-headed Wagtails Photo Guide. *Birdwatch* 286: 45-52.
- Surmacki, A. et al.** 1999. Communal roosting of Linnets (*Carduelis cannabina*) and Blue-headed Wagtails (*Motacilla flava*) at post-breeding period in Western Poland. *Die Vogelwarte* 40(1-2): 146-148.
- Svensson, L.** 1988. Letters: Field identification of black-headed Yellow Wagtails. *British Birds* 81(2): 77-78.
- Svensson, L.** 1988. Letters: Identification of black-headed Yellow Wagtails. *British Birds* 81(12): 655-656.
- Taylor, D.W.** 1979. Notes: Cattle Egret eating Yellow Wagtail. *British Birds* 72(10): 475.
- Tryjanowski, P. & Bajczyk, R.** 2000. Population decline of the Yellow Wagtail *Motacilla flava* in an intensively used farmland of western Poland. *Die Vogelwelt* 120(suppl.): 205-208.
- Valkiūnas, G. & Iezhova, T.A.** 2001. A comparison of the blood parasites in three subspecies of the yellow wagtail *Motacilla flava*. *Journal of Parasitology* 87(4): 930-934.
- van den Berg, A.B.** 2011. Breeding status of Ashy-headed Wagtail in south-western Morocco. *Dutch Birding* 33(2): 117-121.
- van den Berg, M. & Oreel, G.J.** 1985. Field identification and status of Black-headed Yellow Wagtail in Western Europe. *British Birds* 78(4): 176-183.
- Vinicombe, K.** 2004. Identification: Eastern promise. *Birdwatch* 148: 42-43.
- Vinicombe, K.** 2006. ID in depth: Yellow Wagtail. *Birdwatch* 168: 28-30.
- Voous, K.H.** 1950. The races of Yellow Wagtail (*Motacilla flava*) wintering in the Indo-Australian Archipelago. *Treubia* 20: 647-656.
- Wadatkar, J.S. et al.** 2012. Additions to the Checklist of Birds of Melghat Tiger Reserve, an IBA. *Mistnet* 13(2): 6-7.

- Wallace, I.** 1997. Letters: More Yellow-headed Wagtails. *Birding World* 10(7): 277.
- Ward, P.** 1964. The fat reserves of yellow wagtails *Motacilla flava* wintering in southwest Nigeria. *Ibis* 106(3): 370-375.
- Wassink, A. & Oreel, G.J.** 2008. Birds of Kazakhstan: new and interesting data. *Dutch Birding* 30(2): 93-100 (plate 115, p. 97).
- Wassink, A.** 2009. Birds of Kazakhstan: new and interesting data, part 2. *Dutch Birding* 31(2): 101-110 (103).
- Wegst, C.** 2002. 'Nördliche Schafstelzen' *Motacilla flava thunbergi* mit an 'Maskenstelzen' *M. f. feldegg* erinnerndem schwarzem Kopf [Grey-headed Yellow Wagtails *Motacilla flava thunbergi* with black heads reminiscent of *M. f. feldegg*]. *Limicola* 16(5): 271-275.
- White, C.M.N.** 1977. Migration of Palaearctic passerine birds in Wallacea. *Emu* 77: 37-39.
- Wiles, G.J. et al.** 2000. Noteworthy Bird Records for Micronesia, with a Summary of Raptor Sightings in the Mariana Islands, 1988-1999. *Micronesica* 32(2): 257-284 (279).
- Williams, A.** 2005. Perseverance pays. Black-headed Wagtail: Devon, 31 May-18 June 2005. *Birdwatch* 158: 62.
- Williamson, K. & Ferguson-Lees, I.J.** 1955. Plumage and structural characteristics in the Yellow-headed Wagtail. *British Birds* 48: 358-362.
- Wilson, A.M. & Vickery, J.A.** 2005. Decline in Yellow Wagtail *Motacilla flava flavissima* breeding on lowland wet grassland in England and Wales between 1982 and 2002. *Bird Study* 52(1): 88-92.
- Winters, R.** 2006. Head pattern of some 'yellow wagtails' in the Netherlands. *Dutch Birding* 28(4): 232-234.
- Wood, B.** 1975. The distribution of races of the Yellow Wagtail overwintering in Nigeria. *Bulletin of the Nigerian Ornithological Society* 11: 19-26.
- Wood, B.** 1979. Changes in numbers of over-wintering Yellow Wagtails *Motacilla flava* and their food supplies in a west African savanna. *Ibis* 121(2): 228-231.
- Wood, B.** 1982. The trans-Saharan spring migration of yellow wagtails (*Motacilla flava*). *Journal of Zoology* 197(2): 267-283.
- Wood, B.** 1992. Yellow Wagtail *Motacilla flava* migration from West Africa to Europe: pointers towards a conservation strategy for migrants on passage. *Ibis* 134(suppl.1): 66-76.
- Wood, J.B.** 1976. *The biology of yellow wagtails Motacilla flava L. overwintering in Nigeria*. PhD thesis, University of Aberdeen.
- Yésou, P.** 1992. Wagtails of Taimyr peninsula. *Dutch Birding* 14(2): 48-49.

Eastern Yellow Wagtail

Motacilla tschutschensis [Gmelin].

[*M.t. tschutschensis*] NE Siberia and N & W Alaska & extreme NW Canada. Winters mainly SE Asia E to Philippines & S to Indonesia.

[*M.t. macronyx*] SE Transbaikalia E to Amurland and Ussuriland and S to NE Mongolia & C Manchuria. Winters SE Asia S to Malay peninsula & SE China.

[*M.t. taivana*] SE Siberia, Amurland, Sakhalin & N Hokkaido (Japan). Winters Myanmar, S China & Taiwan S to Greater Sundas, Philippines & Wallacea.

The proposed forms *zaissanensis*, *angarensis* and *simillima* are included with *M.t. tschutschensis*.

Other names: Beringian Yellow Wagtail (*tschutschensis*), Alaska Wagtail (*tschutschensis*), Chinese Yellow Wagtail (*taivana*), Green-headed Wagtail (*taivana*), Kuril Yellow Wagtail (*taivana*), Short-tailed Grey-headed Wagtail (*simillima*), Siberian Wagtail (*simillima*), Manchurian Wagtail (*macronyx*), South Siberian Yellow Wagtail (*angarensis*).

Alerstam, T. et al. 2008. Great-circle migration of Arctic passerines. *The Auk* 125(4): 831-838.

Aymí, R. 1995. 'Grey-and-white' Yellow Wagtails in western Europe. *Dutch Birding* 17(1): 6-10.

Berggy, J. 2004. A Yellow Wagtail *Motacilla flava* near Port Macdonnell in South Australia. *South Australian Ornithologist* 34(5): 178-179.

Bot, S. et al. 2014. Eastern yellow wagtails in Europe: identification and vocalisations. *Dutch Birding* 36(5): 295-311.

Collinson, J.M. et al. 2013. British records of 'Eastern Yellow Wagtail'. *British Birds* 106(1): 36-41.

Combridge, P. 2007. Letters: Grey-and-white Yellow Wagtails in autumn. *British Birds* 100(3): 181-183.

Dernjatin, P. & Vattulainen, M. 2001. Beidaihe ja Happy Island - Memories from the years 1997-2000. *Alula* 7(3): 94-108 (98).

Eds. 2011. Mysteries of the east. Presumed Eastern Yellow Wagtail: Colyford Water Treatment Works, Devon, 4-16 December 2010. *Birdwatch* 224: 52-53.

- Fennell, C.M. et al.** 1964. New occurrences and recent distributional records of Korean birds. *The Condor* 66(3): 239-246 (245).
- Fraker, M.A. & Fraker, R.N.** 1980. Yellow Wagtail east of the MacKenzie Delta. *Canadian Field-Naturalist* 94: 465-466.
- Gantlett, S.** 2008. Birding Taiwan in winter. *Birding World* 21(7): 289-303 (plate 28, p. 302).
- Gantlett, S.** 2012. Grey-headed and other Yellow Wagtails. *Birding World* 25(5): 207-210.
- Gellert, M. & Laird, B.** 1990. Eastern Yellow Wagtails. *Birding World* 3(8): 277-280.
- Grace, K. & Lancaster, A.A.K.** 1990. The Garinish Yellow Wagtail, and the separation of first-winter 'grey and white' Yellow Wagtail from Citrine Wagtail. *Irish Birding News* 1(1): 12-15.
- Haig, G.** 2011. A putative 'Eastern Yellow Wagtail' in Devon. *Birding World* 23(12): 530-531.
- Kautesk, B.M. & Jensen, D.** 1986. Yellow Wagtail at Burnaby Lake: First record for British Columbia. *Vancouver Natural History Society Discovery* 15: 16-17.
- Kenyon, K.W. & Brooks, J.W.** 1960. Birds of Little Diomed Island, Alaska. *The Condor* 62(6): 457-463 (462).
- Lancastle, B.** 1994. Eastern race Yellow Wagtail at Aust Sewage Farm. *Avon Bird Report* 1993 pp. 115-116.
- Leader, P.J.** 1996. Field identification of Citrine Wagtail and races of Yellow Wagtail in Hong Kong. *Hong Kong Bird Report* 1995 pp. 210-217.
- Reeves, A.B.** 2009. *Phylogeography of two high-latitude trans-Beringian passerines: Arctic warbler Phylloscopus borealis and eastern yellow wagtail Motacilla tschutschensis*. MSc. Thesis, University of Alaska, Anchorage.
- Renner, H.M. & Caffery, B.J.** 2006. Nesting biology of Eastern Yellow Wagtails at Cape Romanzof, Alaska. *Journal of Field Ornithology* 77(3): 250-258.
- Renner, H.M. & Caffery, B.J.** 2008. Demography of Eastern Yellow Wagtails at Cape Romanzof, Alaska. *The Wilson Journal of Ornithology* 120(1): 85-91.
- Thompson, M.C. & DeLong, R.L.** 1969. Birds new to North America and the Pribilof Islands, Alaska. *The Auk* 86(4): 747-749 (748).
- Vinicombe, K.** 2004. Identification: Eastern promise. *Birdwatch* 148: 42-43.
- Voous, K.H.** 1950. The races of Yellow Wagtail (*Motacilla flava*) wintering in the Indo-Australian Archipelago. *Treubia* 20: 647-656.
- White, C.M.N.** 1977. Migration of Palaearctic passerine birds in Wallacea. *Emu* 77: 37-39.
- Wiles, G.J. et al.** 2000. Noteworthy Bird Records for Micronesia, with a Summary of Raptor Sightings in the Mariana Islands, 1988-1999. *Micronesica* 32(2): 257-284 (279).

Citrine Wagtail

Motacilla citreola [Pallas].

[*M.c. citreola*] Finland & N Russia E to C Siberia, Transbaikalia, Mongolia & NW Manchuria and S to E Poland, Belarus & Ukraine and E to Russian Altai, N & E Kazakhstan & N & C China. Winters mainly Indian subcontinent & SE Asia.

[*M.c. calcarata*] E Iran, Afghanistan and Tien Shan E to C Gansu & Sichuan (C China mountains) and S to N Himalayas. Winters S Afghanistan E to Myanmar.

The proposed form *werae* is included with *M.c. citreola*.

Other names: Yellow-headed Wagtail, Black-backed Citrine Wagtail (*calcarata*).

1st WP Record (*M.c. calcarata*): [1st summer ♂] 17th May 2011. Van, Eastern Anatolia, Turkey.

Daniele Occhiato. Remained until the following day (Occhiato 2011).

Ananian, V & Busuttil, S. 2002. The first breeding records of Citrine Wagtail *Motacilla citreola* and Savi's Warbler *Locustella luscinioides* in Armenia. *Sandgrouse* 24: 52-53.

Anderson, R.C. 2007. New records of birds from the Maldives. *Forktail* 23: 135-144 (143).

Artemieva, E.A. et al. 2016. Divergence of Populations of Yellow Wagtail, *Motacilla flava*, and Citrine wagtail, *Motacilla citreola* (Motacillidae, Passeriformes), in the Middle Volga of Russia. *Vestnik Zoologii* 50(2): 135-146.

Ashby, V. & Annenkova, S. 2004. Birding Kazakhstan. *Birding World* 17(6): 242-253 (248).

Barthel, C. 1995. Rätselvogel 50: Zitronenstelze *Motacilla citreola* [Mystery Bird 50: Citrine Wagtail *Motacilla citreola*]. *Limicola* 9(6): 324-325.

Barthel, P.H. & Schmidt, C. 1990. Hinweise zur Bestimmung der Zitronenstelze *Motacilla citreola* [Identification of Citrine Wagtail *Motacilla citreola*]. *Limicola* 4(4): 149-182.

BBRC 2015. Rarities Committee news: Out with the old and in with the... old. *British Birds* 108(5): 288-291.

Branch, B. 1998. Citrine Wagtail a spectacular first. *Africa - Birds & Banding* 3(3): 15.

- Breek, C.J.** 1983. Citroenkwikstaart in Oostenrijk in april 1983 [Citrine Wagtail in Austria in April 1983]. *Dutch Birding* 5(2-3): 76-78.
- Beuch, S.** 2013. Nietypowe miejsce legu pliszki cytrynowej *Motacilla citreola* [Atypical breeding location of Citrine Wagtail]. *Ptaki Śląska* 20: 97-100.
- Brown, A. & Gordon, P.R.** 1985. Notes: Head pattern of immature Citrine Wagtail. *British Birds* 78(4): 196.
- Burns, P.F.** 1986. Note: Identification problems with immature Citrine Wagtail. *British Birds* 79(9): 464-468.
- Carlotto, L. et al.** 1994. Considerazioni su una nuova osservazione di Cutrettola testagiolla orientale, *Motacilla citreola*, in Italia [Details on a new observation of Citrine Wagtail *Motacilla citreola* in Italy]. *Rivista Italia di Ornitologia* 64(1): 28-32.
- Cox, S. & Inskipp, T.** 1978. Male Citrine Wagtail feeding young wagtails in Essex. *British Birds* 71(5): 209-213.
- de Bruin, A. & de Bruin, S.** 1995. Citroenkwikstaart in Eemshaven in september 1994 [Citrine Wagtail at Eemshaven in September 1994]. *Dutch Birding* 17(2): 68-69.
- de Vries, P.** 1995. Citroenkwikstaart te Wilp in mei 1993 [Citrine Wagtail near Wilp in May 1993]. *Dutch Birding* 17(2): 66-68.
- DeBenedictis, P. et al.** 1995. 1994 ABA Checklist Report: New Species Accepted - Citrine Wagtail. *Birding* XXVII(5): 367.
- Dierschke, V. & Stühmer, F.** 1989. Zitronenstelze *Motacilla citreola* auf Helgoland [Citrine Wagtail *Motacilla citreola* on Heligoland]. *Limicola* 3(2): 70-71.
- Dixon, J.** 1993. The Citrine Wagtail in Hampshire. *Birding World* 6(5): 181.
- Dobrota, M. & Topercer, J.** 1998. Citrine Wagtail *Motacilla citreola* breeding in Slovakia. *Biologia Bratislava* 53: 679-684.
- Draaijer, L. & Slaterus, R.** 2012. Gemengd broedgeval van Citroenkwikstaart en Gele Kwikstaart bij Zeewolde in 2011 [Mixed breeding record of Citrine Wagtail and Blue-headed Wagtail at Zeewolde in 2011]. *Dutch Birding* 34(2): 85-91.
- Eds.** 1991. Citroenkwikstaart te Harchies in april 1987 [Citrine Wagtail at Harchies in April 1987]. *Dutch Birding* 13(6): 209.
- Fisher, I. & Ahmed, R.** 2009. Notes: Identification of Citrine and Yellow Wagtails - a possible identification pitfall. *British Birds* 102(1): 34-35.
- Flint, P.** 1979. Citrine Wagtails in Cyprus. *British Birds* 72(4): 190.
- Fraser, M.** 2003. ListCheck: Splits - Yellow Wagtail & Citrine Wagtail. *Birdwatch* 138: 12.
- Fuchs, J. et al.** 2007. Birds of Phongsaly province and the Nam Ou river, Laos. *Forktail* 23: 22-86 (44).
- Golley, M. & Byers, C.** 1993. Masterguide: Yellow perils. *Birdwatch* 12: 44-48.
- Grace, K. & Lancaster, A.A.K.** 1990. The Garinish Yellow Wagtail, and the separation of first-winter 'grey and white' Yellow Wagtail from Citrine Wagtail. *Irish Birding News* 1(1): 12-15.
- Grant, P.** 1989. Citrine Wagtail identification. *Birding World* 2(11): 393-395.
- Grant, P.J.** 1988. Citrine Wagtail on Mallorca in April 1987. *Dutch Birding* 10(2): 90.
- Hampe, A. et al.** 1996. Erste Brut der Zitronenstelze *Motacilla citreola* in Deutschland [First breeding record of Citrine Wagtail *Motacilla citreola* in Germany]. *Limicola* 10(6): 311-316.
- Harmsen, H.H. & Schekkerman, H.** 1988. Aberrant White Wagtail resembling Citrine Wagtail. *Dutch Birding* 10(2): 88-89.
- Heggland, H.** 1993. Letters: Citrine Wagtail bill-patterns. *Birding World* 6(7): 295-296.
- Hirschfeld, E.** 1990. Letters: Citrine Wagtail with black head markings. *Birding World* 3(7): 250-251.
- Inskipp, T.** 1979. Recent west Palearctic records of Citrine Wagtail. *British Birds* 72: 44.
- Jännes, H. & Dernjatin, P.** 2004. Tibet - a bird trip to the top of the world. *Alula* 10(4): 138-148 (145).
- Jannes, H. & Lammin-Soila, M.** 1989. Nuorten sitruunavastarakkien *Motacilla citreola* errota minen 'harmaista' keltavastarakeista *Motacilla flava* [The separation of first-autumn Citrine Wagtail *Motacilla citreola* and 'grey and white' Yellow Wagtail *Motacilla flava*]. *Lintumies* 24: 108-113.
- Kelly, T.C. & Hutchinson C.D.** 1983. Citrine Wagtails in Co. Cork - new to Ireland. *Irish Birds* 2(3): 348-351.
- Kylänpää, J.** 2000. Birds of Dera Ismail Khan District of North West Frontier Province in Pakistan. *Forktail* 16: 15-28 (26).
- Laur-Fournié, O. & Paris, O.** 2011. Premier cas de nidification d'une Bergeronnette citrine *Motacilla citreola* en France [First breeding record of Citrine Wagtail in France]. *Ornithos* 18: 136-138.
- Leader, P.J.** 1996. Field identification of Citrine Wagtail and races of Yellow Wagtail in Hong Kong. *Hong Kong Bird Report 1995* pp. 210-217.

- Lehto, H.** 1990. Possible hybrid between Yellow and Citrine Wagtails in Finland in May 1990. *Dutch Birding* 12(5): 248.
- Madge, S.** 2000. British Vagrants: Citrine Wagtail - A twist of lemon. *Birdwatch* 98: 28-31.
- Maranini, N. & Crupi, F.** 1994. Quinta segnalazione italiana di Cutrettola testagiolla orientale, *Motacilla citreola* [Fifth record of Citrine Wagtail for Italy]. *Rivista Italia di Ornitologia* 64(1): 82.
- Martins, R.P. et al.** 1996. The status of passerines in southern Yemen and records of the OSME survey in spring 1993. *Sandgrouse* 17: 54-72 (57).
- Meininger, P.L.** 1988. Citrine Wagtail in Greece in April 1987. *Dutch Birding* 10(2): 89-90.
- Meininger, P.L. et al.** 1991. Citroenkwikstaart te Breskens in april 1991 [Citrine Wagtail at Breskens in April 1991]. *Dutch Birding* 13(5): 180-181.
- Millington, R.** 1991. Spring Citrine and Yellow Wagtails. *Birding World* 4(6): 205-206.
- Moerbeek, D.J. et al.** 1984. Citroenkwikstaart te Castricum in augustus-september 1984 [Citrine Wagtail at Castricum in August-September 1984]. *Dutch Birding* 6(4): 123-130.
- Moore, N.** 2007. Selected records from Socheong Island, South Korea. *Forktail* 23: 102-124 (115).
- Njagolov, K.** 1990. Citrine wagtail (*Motacilla citreola*) - a new species for Bulgaria. *Acta Zoologica Bulgarica* 40: 78-79.
- Occhiato, D.** 2011. Black-backed Citrine Wagtail in Turkey - new to the Western Palearctic. *Birding World* 24(6): 257-261.
- Pavlova, A. et al.** 2003. Phylogeographic patterns in *Motacilla flava* and *Motacilla citreola*: species limits and population history. *The Auk* 120(3): 744-758.
- Pilgrim, J.D. et al.** 2009. Updates to the distribution and status of birds in Vietnam. *Forktail* 25: 130-136 (135).
- Pranaitis, A.** 1990. Citrine Wagtails *Motacilla citreola* breed in Lithuania. *Acta Ornithologica Lituonica* 2: 140-142.
- Riddington, R. & Reid, J.** 1997. Classic Fair Isle: September 1997. *Birding World* 10(10): 387-389.
- Round, P.D. et al.** 2014. Ringing and ornithological exploration in north-east Bangladesh wetlands. *Forktail* 30: 109-121 (116).
- Ryzhanovskii, V.N.** 2012. The phenomenon of spatial distribution of the citrine wagtail (*Motacilla citreola*) in the North of Western Siberia and its ecological interpretation. *Russian Journal of Ecology* 43(2): 148-154.
- Sándor, A. et al.** 2007. First breeding record of the Citrine Wagtail (*Motacilla citreola*) in Romania. *Scientific Annals of the Danube Delta Institute* 13: 107-109.
- Schmitz, M.** 1998. Regular spring passage of Citrine Wagtail *Motacilla citreola* along the western Black Sea coast. *Die Vogelwelt* 119: 323-328.
- Schollaert, V.** 1998. Citrine Wagtail *Motacilla citreola* in Ethiopia and its status in Africa. *Bulletin of the African Bird Club* 5: 129-130.
- Ściborska, M.** 2004. Breeding biology of the Citrine Wagtail (*Motacilla citreola*) in the Gdańsk region (N Poland). *Journal of Ornithology* 145(1): 41-47.
- Shirihai, H.** 1990. Possible hybrids between Yellow and Citrine Wagtail in Israel. *Dutch Birding* 12(1): 18-19.
- Shurulinkov, P.S.** 2012. Presumed hybrid Black-headed x Black-backed Citrine Wagtail in Bulgaria in April 2011. *Dutch Birding* 34(2): 108-109.
- Skerrett, A. et al.** 2001. European Bee-eater *Merops apiaster* and Citrine Wagtail *Motacilla citreola*: the first records for Seychelles. *Bulletin of the African Bird Club* 8: 51-53.
- Simons, J. & Ebels, E.B.** 2012. Citrine Wagtail on Madeira in September 2011. *Dutch Birding* 34(1): 45.
- Steele, D.** 2008. Citrine Wagtail and American Buff-bellied Pipit at Lough Beg - two new birds for Northern Ireland in autumn 2008. *Northern Ireland Bird Report xviii* pp. 105-108.
- Stipčević, M. et al.** 2000. First records of the Citrine Wagtail *Motacilla citreola* in Croatia. *Natura Croatica* 9(2): 93-105.
- Stoddart, A.** 1990. Mystery photographs: Citrine Wagtail. *British Birds* 83(5): 204-206.
- Stoddart, A.** 2013. Identification: Yellow and Citrine Wagtails Photo Guide. *Birdwatch* 251: 37-42.
- Svoboda, A. et al.** 2008. Konipas citrónový (*Motacilla citreola*) opět v Krkonoších [Citrine Wagtail in the Giant Mts. Again]. *Panurus* 17: 95-98.
- Tostain, O. & Balança, G.** 1990. Notes: Cross-billed Citrine Wagtail fishing. *British Birds* 83(4): 166.
- van der Spek, V. & Valkenburg, M.** 2010. Birding in Kyrgyzstan. *Dutch Birding* 32(1): 10-20 (plate 7, p. 11).
- van Swelm, N.** 1980. Plumage characteristics in Citrine Wagtail *Motacilla citreola*. *Dutch Birding* 2(1): 28-32.

- Verroken, L. & Verroken, D.** 1988. Citroenkwikstaart te Harchies in april 1987 [Citrine Wagtail at Harchies in April 1987]. *Dutch Birding* 10(2): 78-80.
- Wassink, A. & Oreel, G.J.** 2008. Birds of Kazakhstan: new and interesting data. *Dutch Birding* 30(2): 93-100 (97).
- Wassink, A.** 1995. Geslacht van Citroenkwikstaart in Eemshaven in september 1994 [Sex of Citrine Wagtail at Eemshaven in September 1994]. *Dutch Birding* 17(4): 160.
- Wassink, A.** 2009. Birds of Kazakhstan: new and interesting data, part 2. *Dutch Birding* 31(2): 101-110 (103).
- Wilk, T. et al.** 2009. The third record of breeding Citrine Wagtail (*Motacilla citreola*) in Slovakia. *Tichodroma* 21: 96-98.
- Williamson, K. & Ferguson-Lees, I.J.** 1955. Plumage and structural characters in the Yellow-headed Wagtail. *British Birds* 48(8): 358-362.
- Williamson, K.** 1955. Two Yellow-headed Wagtails at Fair Isle: a new British bird. *British Birds* 48(1): 26-29.
- Williamson, K.** Citrine Wagtails on Fair Isle, pp. 51-54. Found in: **Sharrock, J.T.R. & Grant, P.J.** 1982. *Birds new to Britain and Ireland*. T. & A.D. Poyser.
- Wilson, M.G.** 1984. Range expansion of Citrine Wagtail. *Dutch Birding* 6(4): 143.
- Wooten, A.** 2011. A pristine Citrine. Citrine Wagtail: East Runton, Norfolk, 24 April 2011. *Birdwatch* 228: 53.
- Yésou, P.** 1992. Wagtails of Taimyr peninsula. *Dutch Birding* 14(2): 48-49.
- Young, S.** 2011. Twin Citrines. Citrine Wagtails: Crosby Marina, Seaforth, Lancashire, 28-30 August 2011. *Birdwatch* 232: 70.

Cape Wagtail

Motacilla capensis [Linnaeus].

[*M.c. capensis*] W & S Namibia, SE Botswana, Zimbabwe and W & S Mozambique S to S South Africa.

[*M.c. simplicissima*] Angola E to SE DR Congo and S to NE Namibia, N Botswana & Zambia and Zambezi R (W Zimbabwe).

[*M.c. wellsii*] E DR Congo E to SW Uganda & NW Tanzania and W & C Kenya.

Other names: Angolan Wagtail (*simplicissima*), Wells's Wagtail (*wellsii*).

Thomas 'Jimmy' Wells (1868-1939), British civil servant who worked at the British Museum from 1883 to 1930, rising from 'Boy Assistant' to 'Higher-Grade Clerk' over 47 years service.

Broekhuysen, G.J. 1941. 4. The Cape Wagtail (*Psomophilus capensis capensis*) - a tame bird. *Ostrich* 12(1): 17-19.

Cunningham, P. 2012. Cape Wagtail foot injuries - Cause for concern? *Lanioturdus* 45(1): 16-17.

Gichuki, C.M. 2000. Community participation in the protection of Kenya's wetlands. *Ostrich* 71(1-2): 122-125.

Goulding, W. et al. 2012. High mite burdens in an island population of Cape Wagtails *Motacilla capensis*: release from predation pressure? *Ostrich* 83(2): 85-89.

Leonard, P.M. 2001. Cape Wagtail *Motacilla capensis* movements. *Zambia Bird Report 1999* pp. 96-97.

Munday, T.L. 2006. *The search for the reason(s) causing feet abnormalities in the Cape Wagtail* (*Motacilla capensis*). MSc Thesis, University of Johannesburg.

Oatley, T. 2002. Cape Wagtail. *Africa: Birds & Birding* 7(2): 22-23.

Piper, S.E. Cape Wagtail *Motacilla capensis*, pp. 378-379. Found in: **Harrison, J.A. et al.** 1997. *The atlas of southern African birds. Passerines*. BirdLife South Africa, Johannesburg.

Skead, C.J. 1954. A study of the Cape Wagtail *Motacilla capensis*. *Ibis* 96(1): 91-103.

Taylor, J. 2003. Cape Wagtail group behaviour. *Promerops* 253: 1.

Winterbottom, J.M. 1964. Notes on the wagtails *Motacilla* of southern Africa. *Ostrich* 35(3): 129-141.

Madagascar Wagtail

Motacilla flaviventris [Hartlaub].

Madagascar.

Koenig, P. 2002. Un cas d'altruisme fraternel chez la Bergeronnette de Madagascar *Motacilla flaviventris* [A case of sibling altruism in Madagascar Wagtail]. *Alauda* 70(4): 443-444.

O'Daniel, D.L. 1997. Observations at a nest of the Madagascar Wagtail *Motacilla flaviventris*. *Ostrich* 68(1): 19-22.

Grey Wagtail

Motacilla cinerea [Tunstall].

[*M.c. cinerea*] Scandinavia S thru Ireland, Britain & W Europe to the Mediterranean and the Atlas Mts (NW Africa) and Asia Minor & the Caucasus E thru Iran & Afghanistan to the Himalayas and NE to Tien Shan (W China) and the Urals E to Kamchatka and S to S Gansu, Shaanxi, Shanxi & Hebei (C & E China) and Japan S thru islands in the East China Sea to Taiwan. Winters W & S Europe and W, N & E Africa and Middle East, Arabia, Iraq, Iran & the Indian subcontinent E to S China, SE Asia, Philippines, Indonesia & W New Guinea.

[*M.c. patriciae*] Furnas & São Miguel (Azores).

[*M.c. schmitzi*] Madeira.

The proposed forms *canariensis*, *robusta* & *melanope* are included with *M.c. cinerea*.

- Adamík, P. et al.** 2003. The effect of habitat structure on guild patterns and the foraging strategies of insectivorous birds in forests. *Biologia Bratislava* 58: 275-285.
- Balch, L.** 1988. Curling Up With a Good (Bird) Book - Update on 53 'Aleutian' Species Covered in the National Geographic Society Field Guide. *Birding XX*(5): 290-303 (301-302).
- Bassett, B.B.** 1953. Notes: One Grey Wagtail killing another. *British Birds* 46(10): 378-379.
- Bedford, M.** 1923. Notes: Early nesting of Grey Wagtail. *British Birds* 17(2): 39.
- Bentham, H.** 1923. Notes: Late nesting of Grey Wagtail. *British Birds* 17(7): 165.
- Boase, H.** 1952. Notes on the Grey Wagtail. *British Birds* 45(9): 317-320.
- Bougaham, A.F. et al.** 2011. Breeding biology of Grey Wagtails *Motacilla cinerea* at the southern edge of their breeding range (region of Béjaia, Algeria). *Bird Study* 58(3): 357-360.
- Buden, D.W.** 1999. The birds of Sapwuahtik Atoll, with first record of the Grey Wagtail, *Motacilla cinerea*, from the Federated States of Micronesia. *Bulletin of the British Ornithologist' Club* 119: 261-270.
- Bureš, S. & Kral, M.** 1987. Diet analysis and trophic ecology on the Grey Wagtail (*Motacilla cinerea* Tunst.) in Nížký Jeseník. *Folia Zoologica* 36(3): 257-264.
- Bureš, S.** 1995. Responses of Grey Wagtail *Motacilla cinerea* to Changing Prey Availability during the Nesting Period. *Journal of Avian Biology* 26(4): 325-329.
- Carr, P.** 2011. Important Bird Areas: The British Indian Ocean Territory. *British Birds* 104(11): 642-659 (649).
- Ceia, R. et al.** 2009. Summer abundance and ecological distribution of passerines in native and exotic forests in São Miguel, Azores. *Ardeola* 56(1): 25-39.
- Cormack, R.S.** 1954. Notes: Unusual size of Grey Wagtail's clutch. *British Birds* 47(12): 445.
- Desfayes, M. & Praz, J.C.** 1978. Notes on habitat and distribution of montane birds in southern Iran. *Bonner Zoologische Beiträge* 29(1-3): 18-37 (25).
- Eds.** 2005. Photo Salon - Autumn Alaska: The Bering Sea and Aleutian Islands. *North American Birds* 59(1): 184-187 (185).
- Etzkorn, Je. & Etzkorn, Ja.** 2004. Gray Wagtail (*Motacilla cinerea*): a new species for British Columbia. *Wildlife Afield* 1(2): 64-65.
- Flousek, J.** 1987. Breeding biology of the grey wagtail, *Motacilla cinerea* (Passeriformes, Aves). *Acta Universitatis Carolinae Biologica* 1985: 253-300.
- Gill, F.B.** 1969. Additions to the birds known from the west Sumatran Islands. *Ardea* 57: 89-91.
- Goodall, A.** 1982. Notes: Unusual nest-site of Grey Wagtail. *British Birds* 75(1): 34.
- Hayman, R.W.** 1954. Notes: Unusual nesting-site of Grey Wagtail. *British Birds* 47(12): 444-445.
- Herremans, M.** 1988. Postjuvenile moult, phenology and biometry of Grey Wagtails *Motacilla cinerea* migrating over central Belgium. *Ringing & Migration* 9(2): 103-116.
- Hope, M.** 2008. Notes: Grey Wagtail catching minnows. *British Birds* 101(9): 498.
- Jørgensen, O.H.** 1976. Migration and Aspects of Population Dynamics in the Grey Wagtail *Motacilla cinerea*. *Ornis Scandinavica* 7(1): 13-20.
- Jørgensen, O.H.** 1977. Observations on the breeding biology of the Grey Wagtail *Motacilla cinerea* in Denmark. *Dansk Ornithologisk Forenings Tidsskrift* 71: 121-138.
- Klemp, S.** 2000. Effects of parental effort on second brood, moult and survival in the Grey Wagtail *Motacilla cinerea*. *Ardea* 88(1): 91-98.
- Klemp, S.** 2003. Altitudinal dispersal within the breeding season in the Grey Wagtail *Motacilla cinerea*. *Ibis* 145(3): 509-511.
- Kylänpää, J.** 2000. Birds of Dera Ismail Khan District of North West Frontier Province in Pakistan. *Forktail* 16: 15-28 (26).
- Lees, A.C.** 2005. Macaronesian endemic birds: their taxonomy, status and conservation. *Alula* 11(1): 12-24 (17).

- Lodge, J.** 1938. Notes: Song of Grey Wagtail. *British Birds* 31(11): 352.
- Manel, S. et al.** 1999. Alternative methods for predicting species distribution: an illustration with Himalayan river birds. *Journal of Applied Ecology* 36(5): 734-747.
- Martins, R.P. et al.** 1996. The status of passerines in southern Yemen and records of the OSME survey in spring 1993. *Sandgrouse* 17: 54-72 (57).
- Meakin, K. et al.** 2005. Monitoring birds, reptiles and butterflies in the St Katherine Protectorate, Egypt. *Egyptian Journal of Biology* 7: 66-95 (76).
- Meares, D.H.** 1916. Notes: Erythrism in eggs of Grey Wagtail and Common Tern. *British Birds* 10(12): 291-292.
- Melville, D.S.** 1995. Notes: Possible breeding of Grey Wagtail in Hong Kong. *Hong Kong Bird Report* 1994 pp. 219-220.
- Mlikovsky, J.** 2007. Ornithological results of the Czechoslovak–Iranian expedition in Iran in 1977. *Podoces* 2(2): 141-142.
- Morris, P.I.** 1992. Notes: Grey Wagtail dividing clutch between two nests. *British Birds* 85(6): 313.
- Neelakantan, K.K.** 1969. Close association between the Grey Wagtail and the Forest Wagtail. *Newsletter for Birdwatchers* 9(7): 10-11.
- Nicoll, M.** 1979. Grey Wagtail breeding biology. *Tay Ringing Group Report 1978–79* pp. 40-44.
- Olioso, G. et al.** 2013. First breeding record of Grey Wagtail *Motacilla cinerea* for Tunisia. *Bulletin of the African Bird Club* 20(1): 76-77.
- Oliver, P.J.** 1997. The breeding birds of Inner London, 1966-94. *British Birds* 90(6): 211-225 (220).
- Ormerod, S.J. & Tyler, S.T.** 1987. Aspects of the breeding ecology of Welsh Grey Wagtails *Motacilla cinerea*. *Bird Study* 34(1): 43-51.
- Ormerod, S.J. & Tyler, S.T.** 1991. The influence of stream acidification and riparian land use on the feeding ecology of Grey Wagtails *Motacilla cinerea* in Wales. *Ibis* 133(1): 53-61.
- Paterson, A.M.** 1994. Notes: Unusual plumage of male Grey Wagtail. *British Birds* 87(1): 41-42.
- Peris, S.J. et al.** 1992. Some factors influencing the abundance of grey wagtails (*Motacilla cinerea*) in central Spain. *Folia Zoologica* 41(1): 55-62.
- Rait Kerr, H.** 1939. Notes: Unusual nesting sites and food of Grey Wagtail. *British Birds* 33(5): 137.
- Raman, T.S. et al.** 2013. An expedition to Narcondam: observations of marine and terrestrial fauna including the island-endemic hornbill. *Current Science* 105(3): 346-360.
- Ramanujam, M.E.** 2006. On the prey of the Indian eagle owl *Bubo bengalensis* (Franklin, 1831) in and around Pondicherry, southern India. *Zoos' Print Journal* 21(5): 2231-2240 (2233).
- Rodríguez, B. & Rodríguez, A.** 2007. Breeding biology of Grey Wagtail *Motacilla cinerea canariensis* on Tenerife, Canary Islands. *Acta Ornithologica* 42(2): 195-199.
- Roth, T.** 2008. Outward (autumn) bird migration at the Southeastern Peninsula and Cape Greco, Cyprus: the phenologies of regular migrants. *Sandgrouse* 30(1): 77-89 (86).
- Round, P.D. & Moss, M.** 1984. The waterbird populations of three Welsh rivers. *Bird Study* 31(1): 61-68.
- Ruttledge, R.F.** 1973. Notes: Grey Wagtail continuously hovering while picking insects from tree bark. *British Birds* 66: 449.
- Santamarina, J.** 1993. Feeding ecology of a vertebrate assemblage inhabiting a stream of NW Spain (Riobo; Ulla basin). *Hydrobiologia* 252(2): 175-191 (187).
- Schodde, R. & Bock, W.J.** 2008. The valid name for the Grey Wagtail. *Bulletin of the British Ornithologists' Club* 128: 132-133.
- Sharrock, J.T.R.** 1964. Grey Wagtail passage in Britain in 1956-60. *British Birds* 57(1): 10-24.
- Sharrock, J.T.R.** 1969. Grey Wagtail passage and population fluctuations in 1956–67. *Bird Study* 16(1): 17-34.
- Simmonds, M.D.** 1991. Notes: Grey Wagtail repeatedly flying at car mirror. *British Birds* 84(3): 108-109.
- Sladen, W.J.L.** 1966. Additions to the Avifauna of the Pribilof Islands, Alaska, Including Five Species New to North America. *The Auk* 83(1): 130-135 (134).
- Smiddy, P. & O'Halloran, J.** 1998. Breeding biology of the Grey Wagtail *Motacilla cinerea* in southwest Ireland. *Bird Study* 45: 331-336.
- Sweet, P.R. et al.** 2007. The Hall collection of birds from Wonsan, central Korea, in spring 1903. *Forktail* 23: 129-134 (133).
- Tyler, S.J. & Ormerod, S.J.** 1988. Dietary overlap between Mountain Wagtails *Motacilla clara*, Grey Wagtails *M. cinerea* and Green Sandpipers *Tringa ochropus* in Ethiopia. *Scopus* 11: 33-37.
- Tyler, S.J. & Ormerod, S.J.** 1991. Factors influencing the biometrics of Grey Wagtails *Motacilla cinerea* and Kingfishers *Alcedo atthis* in Wales. *Ringing & Migration* 12(2): 92-102.

- Tyler, S.J. & Ormerod, S.J.** 1991. The influence of stream acidification and riparian land-use on the breeding biology of Grey Wagtails *Motacilla cinerea* in Wales. *Ibis* 133(3): 286-292.
- Tyler, S.J.** 1970. Observations of the Grey Wagtail in the New Forest. *Hampshire Bird Report* 1969 pp. 37-40
- Tyler, S.J.** 1972. Breeding biology of Grey Wagtail *Motacilla cinerea*. *Bird Study* 19(2): 69-80.
- Tyler, S.J.** 1979. Mortality and movements of Grey Wagtails. *Ringing & Migration* 2(3): 122-131.
- van Bemmelen, R.S.A. & Groenendijk, D.** 2006. Masters of Mystery – Solutions of sixth round 2005: Grey Wagtail. *Dutch Birding* 28(1): 33-34.
- van den Berg, A.B. & Bosman, C.A.W.** 1986. Supplementary notes on some birds of Lore Lindu Reserve, Central Sulawesi. *Forktail* 1: 7-13 (11).
- van den Berg, A.B.** 1992. Notes: Mirror-fighting by Grey Wagtail in winter. *British Birds* 85(12): 670-672.
- Varu, M. et al.** 2014. Leg colour in Grey Wagtail *Motacilla cinerea*. *Indian BIRDS* 9(5-6): 166.
- Vickery, J.** 1991. Breeding density of Dippers *Cinclus cinclus* Grey Wagtails *Motacilla cinerea* and Common Sandpipers *Actitis hypoleucos* in relation to the acidity of streams in south-west Scotland. *Ibis* 133(2): 178-185.
- Wassink, A.** 2015. Birds of Kazakhstan: new and interesting data, part 6. *Dutch Birding* 37(1): 28-32 (31).
- Wassink, A.** 2016. Birds of Kazakhstan: new and interesting data, part 7. *Dutch Birding* 38(6): 388-392 (391).
- White, C.M.N.** 1977. Migration of Palaearctic passerine birds in Wallacea. *Emu* 77: 37-39.
- Wiles, G.J. et al.** 2004. New and Noteworthy Bird Records for Micronesia, 1986–2003. *Micronesica* 37(1): 69-96 (90).
- Yoerg, S.I. & O'Halloran, J.** 1991. Dipper Nestlings Fed by a Gray Wagtail. *The Auk* 108: 427-440.

Mountain Wagtail

Motacilla clara [Sharpe].

[*M.c. clara*] Highlands of Ethiopia.

[*M.c. chapini*] SW Mali, S Sierra Leone, Liberia & W Ivory Coast and SE Nigeria & Cameroon S to Gabon and E to the Central African Republic & N & S PR Congo and Bioko Island (Fernando Póo).

[*M.c. torrentium*] E Uganda & C & S Kenya and E & S DR Congo, Rwanda & NW & N Tanzania S to C & SW Angola, Zambia, N Zimbabwe & W Mozambique and mountains of E South Africa & Swaziland.

Other name: Long-tailed Wagtail, Grey-backed Wagtail.

- Anderson, J.** 2010. First records of eight bird species for Eritrea. *Bulletin of the African Bird Club* 17(1): 66-70.
- Bowden, C.G.** 2001. The birds of Mount Kupe, southwest Cameroon. *Malimbus* 23: 13-44 (28).
- Brina, G. & Lovett, R.** 2001. First documented record of Long-tailed (Mountain) Wagtail *Motacilla clara* in Botswana. *Babbler* 39: 49.
- Dean, A.** 1954. Three new subspecies of birds from Africa. *American Museum Novitates* 1656.
- Gichuki, C.M.** 2000. Community participation in the protection of Kenya's wetlands. *Ostrich* 71(1-2): 122-125.
- Maclean, G.L. & Maclean, C.** 1993. A new host for the Red-chested Cuckoo *Cuculus solitarius* in southern Africa. *Ostrich* 64: 136.
- Piper, S.E. & Schultz, D.M.** 1988. Monitoring territory, survival and breeding in the Long-tailed Wagtail. *Safring News* 17(2): 65-76.
- Piper, S.E. & Schultz, D.M.** 1989. Type, dimensionality and size of Long-tailed Wagtail territories. *Ostrich* 14(suppl.): 123-131.
- Piper, S.E.** 1980. A ringing study of Long-tailed Wagtails in the Palmiet Nature Reserve. *Safring News* 9: 10-13.
- Piper, S.E.** 1989. Breeding biology of the Long-tailed Wagtail *M. clara*. *Ostrich* 14(suppl.1): 7-15.
- Piper, S.E.** 1994. Estimates of minimum survival rates for territorial, adult Long-tailed Wagtails *Motacilla clara*. *Journal für Ornithologie* 135(3): 500.
- Piper, S.E.** 2001. Elucidating population structure in the Long-tailed Wagtail *Motacilla clara*: the use of the space-time diagram. *Ardea* 89(1): 113-122.
- Piper, S.E.** 2002. Survival of adult, territorial Long-tailed Wagtails *Motacilla clara*: the effects of environmental factors and individual covariates. *Journal of Applied Statistics* 29(1-4): 107-124.
- Piper, S.E.** Long-tailed Wagtail *Motacilla clara*, pp. 376-377. Found in: **Harrison, J.A. et al.** 1997. *The atlas of southern African birds. Passerines*. BirdLife South Africa, Johannesburg.

- Serle, W.** 1955. Miscellaneous notes on the birds of the eastern highlands of Southern Rhodesia. *Ostrich* 26(2): 115-127.
- Townley, D.** 1936. 4. Field notes on little-known Southern Rhodesian birds. *Ostrich* 7(2): 103-108.
- Tyler, S.J. & Ormerod, S.J.** 1988. Dietary overlap between Mountain Wagtails *Motacilla clara*, Grey Wagtails *M. cinerea* and Green Sandpipers *Tringa ochropus* in Ethiopia. *Scopus* 11: 33-37.
- Winterbottom, J.M.** 1964. Notes on the wagtails *Motacilla* of southern Africa. *Ostrich* 35(3): 129-141.

White Wagtail

Motacilla alba [Linnaeus]

[*M.a. alba*] Extreme SE Greenland, Iceland, Faroe Islands, Shetland, S Novaya Zemlya and Europe (except Ireland & Britain) E to the Urals. Winters, some populations S to S Europe and Africa as far S as Kenya & Malawi.

[*M.a. yarrellii*] Ireland, Britain & locally along adjacent coasts of continental Europe. Winters, some resident, some populations mainly to SW France, Iberian peninsula & coastal Morocco.

[*M.a. subpersonata*] Morocco.

[*M.a. baicalensis*] Upper R Yenisey E to Stanovoy Mts (SC Siberia) and S to Mongolia & NE China. Winters N India E to SE China & C Indochina.

[*M.a. ocularis*] N & NE Siberia E from Taymyr peninsula & R Yenisey S to Lensk region, Stanovoy Mts & N Kamchatka and extreme W Alaska. Winters S Asia E from NE Indian subcontinent.

[*M.a. lugens*] S coasts of Sea of Okhotsk, Sakhalin Island, C Kamchatka & Commander Islands S to N Korea & Japan. Winters Myanmar E to SE China, Taiwan & S Japan.

[*M.a. leucopsis*] Qinghai E to Heilongjiang & W Zhejiang and S to N Guangxi & N Guangdong (C & E China), Amurland & Ussuriland (Far East Russia), Korea and SW Honshu & N Kyushu (Japan). Winters S Asia E from N India.

[*M.a. alboides*] Himalayas E from NE Pakistan thru S Xizang, S & SE Qinghai E to S Shaanxi and S to Yunnan & Guizhou (S China), N Myanmar, extreme N Laos & extreme N Vietnam. Winters at lower altitudes and S to Bangladesh & N Thailand.

[*M.a. personata*] Transcaspia & N Iran E to S Russia, W Mongolia, extreme NW & W Xinjiang (NW China) and S to N Afghanistan, N Pakistan & Kashmir. Winters Iran & E Arabia E to Indian subcontinent.

The proposed forms *dukhunensis* & *persica* are included with *M.a. alba*.

Other names: Pied Wagtail (*yarrellii*), Moroccan Wagtail (*subpersonata*), Masked Wagtail (*personata*), Black-backed Wagtail (*lugens*), Amur Wagtail (*leucopsis*), Hodgson's Wagtail (*alboides*), Swinhoe's Wagtail (*ocularis*), Indian Pied Wagtail (*dukhunensis*), West Siberian White Wagtail (*dukhunensis*), East Siberian Wagtail (*ocularis*), Himalayan Wagtail (*alboides*), Baikal Wagtail (*baicalensis*).

William Yarrell (1784-1856), English naturalist.

Brian Houghton Hodgson FRC (1800-1894), English civil servant who made a significant contribution to Indian ornithology.

Robert Swinhoe (1836-1877), Anglo-Indian diplomat and naturalist.

1st WP Record (*M.a. leucopsis*): [adult ♂] 5th April 2005. Vane Tempest Colliery, Seaham, Durham, England. Stephen Addinall (Addinall 2005 & 2010).

1st WP Record (*M.a. personata*): [probably 1st winter] 22nd September 1966. Akrotiri, Cyprus (Van Gasse & Ebels 2016).

Ackermann, A.M. & Cable, T.T. 2010. Notes: White Wagtail brandishing stick in winter territorial dispute. *British Birds* 103(12): 733-734.

Adamík, P. et al. 2003. The effect of habitat structure on guild patterns and the foraging strategies of insectivorous birds in forests. *Biologia Bratislava* 58: 275-285.

Addinall, S. 2005. The Amur Wagtail in County Durham - a new Western Palearctic bird. *Birding World* 18(4): 155-158.

Addinall, S.G. 2010. 'Amur Wagtail' in County Durham: new to Britain and the Western Palearctic. *British Birds* 103(5): 260-267.

Adriaens, P. et al. 2010. White Wagtail and Pied Wagtail: a new look. *Dutch Birding* 32(4): 229-250.

Balch, L. 1988. Curling Up With a Good (Bird) Book - Update on 53 'Aleutian' Species Covered in the National Geographic Society Field Guide. *Birding* XX(5): 290-303 (301).

Bamber, T.B. 1987. Notes: Adult Pied Wagtail being fed in flight by House Martins. *British Birds* 80(3): 116.

Bearden, K.L. et al. 2004. First Record of White Wagtail in North Carolina. *The Chat* 68(2): 78-82.

Behrens, K. 1988. White Wagtail in South Carolina: First record on US eastern seabird. *The Chat* 62: 149-152.

- Bensusan, K. & Perez, C.** 2007. Rüppell's Vulture, Moroccan White Wagtail and Icterine Warbler in Gibraltar in 2006. *Gibraltar Bird Report 2006* pp. 47-50.
- Bourne, W.R.P.** 1993. Letters: Red Grouse, wagtails, and the classification and English names of birds. *British Birds* 86(9): 437-438.
- British Ornithologists' Union** 2010. British Ornithologists' Union Records Committee: 38th Report (October 2009). *Ibis* 152: 199-204.
- Broom, D.M. et al.** 1976. Pied Wagtail roosting and feeding behaviour. *Bird Study* 23: 267-278.
- Burger, A.E. et al.** 1996. Vagrant Black-backed Wagtail at Triangle Island: the second record for British Columbia. *Birders Journal* 5(6): 303-304.
- Carter, M. et al.** 1995. White Wagtails *Motacilla alba* in Victoria. *Australian Bird Watcher* 16: 21-33.
- Clancey, P.A.** 1935. Notes: Pied Wagtails depriving Swallows of their prey. *British Birds* 29(6): 176.
- Cooper, D. & Kay, B.** 2010. Autumn bird migration on Hegura-jima, Japan. *Birding World* 23(8): 355-364 (plate 10, p. 360).
- Cooper, D. & Kay, B.** 2010. Hegura-Jima - the Fair Isle of Japan. *Birding World* 22(12): 506-522 (plate 6, p. 508).
- Cope, D.A.** 1985. Notes: Hovering as feeding strategy of Pied Wagtail. *British Birds* 78(2): 111.
- Cottaar, F.** 1995. Voorjaarstrek en ringvangsten van Rouwkwikstaarten in Kennemerduinen [Spring migration and trapping of Pied Wagtails in Kennemerduinen]. *Dutch Birding* 17(4): 154-157.
- Cotton, D.C.F. & Lovatt, J.K.** 1985. The Pied Wagtail roost in O'Connell Street, Dublin. *Irish Birds* 3(1): 48-52.
- Davies, N.B. & Houston, A.I.** 1981. Owners and satellites: The economics of territory defence in the Pied Wagtail, *Motacilla alba*. *Journal of Animal Ecology* 50: 157-180.
- Davies, N.B.** 1976. Food, flocking and territorial behaviour of the Pied Wagtail *Motacilla alba yarrellii* in winter. *Journal of Animal Ecology* 45: 235-253.
- Davies, N.B.** 1982. Territorial behaviour of Pied Wagtails in winter. *British Birds* 75(6): 261-267.
- DeBenedictis, P.** 1992. ABA Checklist Report, 1991. Change in Status Black-backed Wagtail. *Birding* XXIV(5): 280-286 (285).
- Desfayes, M. & Praz, J.C.** 1978. Notes on habitat and distribution of montane birds in southern Iran. *Bonner Zoologische Beiträge* 29(1-3): 18-37 (25).
- Ebels, E.B.** 2002. Transatlantic vagrancy of Palearctic species to the Caribbean region. *Dutch Birding* 24(4): 202-209 (208).
- Eds.** 2017. Wagtail unmasked. Masked Wagtail: Camrose, Pembrokeshire, from 29 November 2016. *Birdwatch* 295: 11.
- Young, S.** 2011. Twin Citrines. Citrine Wagtails: Crosby Marina, Seaforth, Lancashire, 28-30 August 2011. *Birdwatch* 232: 70.
- Eggen, M.** 2003. The Masked Wagtail in Norway - new to western Europe. *Birding World* 16(11): 464-465.
- Emley, D.W.** 1985. Notes: Unusual calls at Pied Wagtail roost. *British Birds* 78(2): 110.
- Fitzpatrick, S.** 1994. Polygyny and female-female aggression in the Pied Wagtail. *Irish Birds* 5(2): 189-191.
- Fitzpatrick, S.** 1998. Notes: Sunning behaviour of Pied Wagtails. *British Birds* 91(6): 235-236.
- Fraser, M.** 2005. ListCheck: Relationships - White Wagtail. *Birdwatch* 161: 55.
- Freakley, M.** 2010. Notes: Pied Wagtail pursuing Common Kingfisher. *British Birds* 103(6): 362.
- Fuchs, J. et al.** 2007. Birds of Phongsaly province and the Nam Ou river, Laos. *Forktail* 23: 22-86 (43).
- Gantlett, S.** 2008. Birding Taiwan in winter. *Birding World* 21(7): 289-303 (plate 14, p. 297).
- Grantham, M.** 2009. Migration: White Wags on the move. *Birdwatch* 210: 41.
- Haataja, K.T. & Dernjatin, P.** 2007. Specific avifauna characteristics in Central Asia. *Alula* 13 (2): 56-63 (photo 17, 61).
- Harding, B.D.** 1992. Notes: Feeding interaction between House Martins and Pied Wagtails. *British Birds* 85(5): 242-243.
- Harmsen, H.H. & Schekkerman, H.** 1988. Aberrant White Wagtail resembling Citrine Wagtail. *Dutch Birding* 10(2): 88-89.
- Harthan, A.J.** 1940. Notes: Pied Wagtails feeding young on Yellow Underwing moths. *British Birds* 34(4): 87.
- Hartley, P.H.T.** 1946. The song of the White Wagtail in winter quarters. *British Birds* 39(2): 44-47.
- Hazevoet, C.J.** 1997. Notes on distribution, conservation, and taxonomy of birds from the Cape Verde Islands, including records of six species new to the archipelago. *Bulletin Zoölogisch Museum* 15(13): 89-100 (98).

- Hazevoet, C.J.** 1999. Fourth report on birds from the Cape Verde Islands, including notes on the conservation and records of 11 new to the archipelago. *Bulletin Zoölogisch Museum* 17(3): 19-32 (29).
- Higuchi, H. & Hirano, T.** 1981. Breeding records and breeding habitats of the White Wagtail *Motacilla alba* in Tochigi Prefecture. *Tori* 29: 121-128 [in Japanese with English summary].
- Higuchi, H. & Hirano, T.** 1983. Comparative ecology of White and Japanese Wagtails *Motacilla alba* and *M. grandis*, in winter. *Tori* 32: 1-11.
- Higuchi, H. & Hirano, T.** 1989. Breeding season, courtship behaviour, and territoriality of White and Japanese Wagtails *Motacilla alba* and *M. grandis*. *Ibis* 131(4): 578-588.
- Hill, C.J.** 1997. Notes: Pied Wagtail and Barn Swallow colliding in flight. *British Birds* 90(9): 363-364.
- Houston, A.I. et al.** 1985. Territory size, prey renewal and feeding rates: interperation of observations on the Pied Wagtail (*Motacilla alba*) by simulation. *Journal of Animal Ecology* 54: 227-239.
- Howell, S.N.G.** 1990. Identification of White and Black-backed Wagtails in alternate plumage. *Western Birds* 21: 41-49.
- Ingels, J. et al.** 2010. White Wagtail *Motacilla alba*, a vagrant to Barbados, Trinidad and French Guiana. *Bulletin of the British Ornithologist' Club* 130: 224-226.
- Joslin, D.** 1966. Notes: Pied Wagtail persistently attacking the corpse of another. *British Birds* 59(4): 156-157.
- Kaufman, K.** 1992. Answers to December Photo Quiz: White Wagtail. *Birding* XXIV(1): 56-57.
- Kehoe, C.** 2006. Racial identification and assessment in Britain: a report from the RIACT subcommittee. *British Birds* 99(12): 619-645 (633-634).
- Kenyon, K.W. & Brooks, J.W.** 1960. Birds of Little Diomed Island, Alaska. *The Condor* 62(6): 457-463 (462).
- King, B.** 1954. Notes: Peculiar behaviour of a Pied Wagtail. *British Birds* 47(12): 444.
- King, S.** 2000. Notes: Eurasian Curlew capturing and killing Pied Wagtail. *British Birds* 93(8): 399.
- Kylänpää, J.** 2000. Birds of Dera Ismail Khan District of North West Frontier Province in Pakistan. *Forktail* 16: 15-28 (26).
- Langer, Y. & Rochman, A.** 1991. Recoveries of Pied Wagtails *Motacilla alba* in Israel and abroad. *Sandgrouse* 13(1): 49-52.
- Lenahan, L.J.** 1995. Pre-roost gathering by Pied Wagtails in County Meath. *Irish East Coast Bird Report 1994* pp. 79-80.
- Lethaby, N. et al.** 2000. Birding in South Korea. *Dutch Birding* 22(4): 204-219 (plate 210, p. 218).
- López, G. et al.** 2005. White Wagtails *Motacilla alba* showing extensive post-juvenile moult are more stressed. *Ardea* 93(2): 237-244.
- Lovatt, J.K. & Cotton, D.C.F.** 1985. Pied Wagtail roosts in Dublin. *Irish East Coast Bird Report 1984* pp. 54-55.
- Lu, X. et al.** 2010. Nesting records of 20 bird species in Lhasa region, Tibet. *Chinese Birds* 1(3): 167-174 (172).
- Martins, R.P. et al.** 1996. The status of passerines in southern Yemen and records of the OSME survey in spring 1993. *Sandgrouse* 17: 54-72 (57).
- Mason, C.F. & Lyczynski, F.** 1980. Breeding biology of the Pied and Yellow Wagtails. *Bird Study* 27(1): 1-10.
- McGeehan, A.** 1996. Birding from the hip: Natural selections - A flutter at the races. *Birdwatch* 51: 26.
- Meakin, K. et al.** 2005. Monitoring birds, reptiles and butterflies in the St Katherine Protectorate, Egypt. *Egyptian Journal of Biology* 7: 66-95 (76).
- Meininger, P.L. & Wolf, P.A.** 1995. Voorjaarstrek van Rouwkwikstaarten bij Breskens [Spring migration of Pied Wagtails at Breskens]. *Dutch Birding* 17(4): 157-159.
- Mlikovsky, J.** 2007. Ornithological results of the Czechoslovak–Iranian expedition in Iran in 1977. *Podoces* 2(2): 141-142.
- Moore, C.C.** 1999. Moroccan Wagtail in Portugal in July 1995. *Dutch Birding* 21(1): 31-33.
- Occhiato, D. & Small, B.** 2006. A photographic safari to Morocco. *Birding World* 19(6): 240-253 (247).
- Oliver, P.J.** 1997. The breeding birds of Inner London, 1966-94. *British Birds* 90(6): 211-225 (220).
- Oreel, G.J.** 2005. Status of Moroccan Wagtail in Europe. *Dutch Birding* 27(1): 42.
- Owen, J.H.** 1916. Notes: Unusual nesting-sites of Pied Wagtail. *British Birds* 10(12): 291.
- Patten, D.E.** 1982. Notes: Pied Wagtail driving other passerines from bird-table. *British Birds* 75(1): 34.
- Pavlova, A. et al.** 2005. Mitochondrial DNA and plumage evolution in the white wagtail *Motacilla alba*. *Journal of Avian Biology* 36: 322-336.
- Perray, D.J.** 1978. Notes: Pied Wagtails persistently attacking Dipper. *British Birds* 71(11): 539.

- Pétursson, G.** 1997. Possible future European passerine vagrants to Canada. *Birders Journal* 6(3): 145-151 (148).
- Pittie, A.** 2011. The dates of seven new taxa described by W. E. Brooks (*Certhia Hodgsoni*, *Sitta Cashmirensis*, *Dumeticola major*, *Horites* [sic] *Pallidus*, *Phylloscopus Tytleri*, *Motacilla Cashmirensis*, and *Alauda Guttata*). *Indian BIRDS* 7(2): 54-55.
- Pittie, A. et al.** 1998. Range extension of White Wagtail *Motacilla alba leucopsis* at Pocharam Lake, Medak District, Andhra Pradesh. *Journal of the Bombay Natural History Society* 95(2): 347-348.
- Polak, M.** 2004. Biometry of young White Wagtails (*Motacilla alba*) and Yellow Wagtails (*Motacilla flava*) caught in the Gulf of Gdańsk region during autumn migration. *The Ring* 26(2): 69-78.
- Rebecca, G.W.** 1994. Notes: Repeated use of Pied Wagtail nest by Eurasian Treecreepers. *British Birds* 87(7): 336.
- Richards B.** 2005. Looking good for Amur. Amur Wagtail: Seaham, Durham, 5-6 April 2005. *Birdwatch* 156: 64.
- Richardson, C.** 1996. The United Arab Emirates. *British Birds* 89(5): 219-231 (plate 104, p. 228).
- Robb, M. et al.** 2010. Flight call identification of White, Pied and Moroccan Wagtail. *Dutch Birding* 32(4): 251-253.
- Roth, T.** 2008. Outward (autumn) bird migration at the Southeastern Peninsula and Cape Greco, Cyprus: the phenologies of regular migrants. *Sandgrouse* 30(1): 77-89 (86).
- Round, P.D. & Moss, M.** 1984. The waterbird populations of three Welsh rivers. *Bird Study* 31(1): 61-68.
- Rowlands, A.** 2010. From the Rarities Committee's files: Proposed criteria for BBRC assessment of claims of 'Amur Wagtail'. *British Birds* 103(5): 268-275.
- Ryzhanovsky, V.N.** 2011. Latitudinal variation of moult annual cycle in West Siberian White Wagtails *Motacilla alba dukhunensis* Sykes. 2. Pre-breeding and post-breeding moult. *Avian Ecology and Behaviour* 19: 13-31.
- Savard, G.** 2002. White Wagtail at Métabetchouan, Québec - first documented record for Canada. *Birders Journal* 11: 98-99.
- Schols, R.** 2005. More birds from northeast China. *Birding World* 18(9): 385-394 (385-386).
- Sealy, S.G. et al.** 1996. Cuckoo hosts in Ireland, 1985-95. *Irish Birds* 5(4): 381-390 (387).
- Sharpe, C.** 2002. Notes: Pied Wagtail nesting in regularly used vehicle. *British Birds* 95(2): 89.
- Sibley, D.A. & Howell, S.N.G.** 1998. Identification of White and Black-backed wagtails in basic plumage. *Western Birds* 29: 180-198.
- Simmons, K.E.L.** 1994. Notes: Sunning behaviour of juvenile Pied Wagtails. *British Birds* 87(5): 234-235.
- Sladen, W.J.L.** 1966. Additions to the Avifauna of the Pribilof Islands, Alaska, Including Five Species New to North America. *The Auk* 83(1): 130-135 (134).
- Smiddy, P. & O'Halloran, J.** 2015. Biometrics of Pied Wagtails *Motacilla alba yarrellii* in County Cork. *Irish Birds* 10(2): 179-182.
- Thompson, M.C. & DeLong, R.L.** 1969. Birds new to North America and the Pribilof Islands, Alaska. *The Auk* 86(4): 747-749 (748).
- Tryjanowski, P. et al.** 2002. Earlier arrival of some farmland migrants in western Poland. *Ibis* 144(1): 62-68.
- van den Berg, M. & de Roever, J.W.** 1983. Basic plumages of Moroccan White Wagtail. *Dutch Birding* 5(4): 98-99.
- van der Spek, V. & Valkenburg, M.** 2010. Birding in Kyrgyzstan. *Dutch Birding* 32(1): 10-20 (plate 16, p. 16).
- Van Gasse, W. & Ebels, E.B.** 2016. Masked Wagtail at Burgas, Bulgaria, in September 2015 and WP records. *Dutch Birding* 38(2): 96-97.
- Venables, W.A.** 1981. Notes: Song flight of Pied Wagtail culminating in copulation. *British Birds* 74(2): 98-99.
- Vinicombe, K.** 2000. Identification: White Wagtail - A closer look. *Birdwatch* 93: 50-52.
- Wassink, A. & Oreel, G.J.** 2008. Birds of Kazakhstan: new and interesting data. *Dutch Birding* 30(2): 93-100 (97).
- Wassink, A.** 2009. Birds of Kazakhstan: new and interesting data, part 2. *Dutch Birding* 31(2): 101-110 (103 & 108).
- Wassink, A.** 2010. Birds of Kazakhstan: new and interesting data, part 3. *Dutch Birding* 32(2): 128-130 (130).
- Wassink, A.** 2010. Status of East Siberian Wagtail *Motacilla (alba) ocularis* in Kazakhstan. *Sandgrouse* 32(1): 39-40.

- Wassink, A.** 2014. Birds of Kazakhstan: new and interesting data, part 5. *Dutch Birding* 36(2): 114-120 (117).
- Wassink, A.** 2015. Birds of Kazakhstan: new and interesting data, part 6. *Dutch Birding* 37(1): 28-32 (31 & 32).
- Wassink, A.** 2016. Birds of Kazakhstan: new and interesting data, part 7. *Dutch Birding* 38(6): 388-392 (391).
- Whelehan, J.** 1989. Pied Wagtail roost in Dun Laoghaire, County Dublin. *Irish East Coast Bird Report* 1988 pp. 77-79.
- Wiles, G.J. et al.** 2004. New and Noteworthy Bird Records for Micronesia, 1986–2003. *Micronesica* 37(1): 69-96 (90).
- Yésou, P.** 1992. Wagtails of Taimyr peninsula. *Dutch Birding* 14(2): 48-49.
- Zahavi, A.** 1971. The social behaviour of the White Wagtail *Motacilla alba alba* wintering in Israel. *Ibis* 113: 203-211.

African Pied Wagtail

Motacilla aguimp [Dumont].

[*M.a. aguimp*] S Namibia and C & E South Africa.

[*M.a. vidua*] S Egypt along the Nile to Aswan and S along Blue Nile in Ethiopia & Sudan and Sierra Leone & S Mali E to S Sudan and NW & E Kenya S to Angola, N & E Botswana & E South Africa S to the E Cape.

- Baha El Din, M.** 1994. African Pied Wagtail breeding at Lake Nasser, Egypt. *Birding World* 7(5): 186.
- Bland, B.** 2009. Wadi el-Gemal National Park and the special birds of Egypt. *Birding World* 22(7): 289-299 (plate 8, p. 293).
- Broekhuysen, G.J.** 1938. African Pied Wagtail (*Motacilla aguimp vidua*) recorded from the vicinity of Cape Town. *Ostrich* 10: 141-142.
- Dean, W.R.J. & MacDonald, I.A.W.** 1981. A review of African birds feeding in association with mammals. *Ostrich* 52(3): 135-155.
- Nhlane, M.E.D.** 1990. Breeding biology of the African Pied Wagtail *Motacilla aguimp* in Blantyre, Malawi. *Ostrich* 61(1-2): 1-4.
- Winterbottom, J.M.** 1964. Notes on the wagtails *Motacilla* of southern Africa. *Ostrich* 35(3): 129-141.

Mekong Wagtail

Motacilla samveasnae [Duckworth].

Lower R Mekong and tributaries in NE Cambodia & S Laos. Winters not known, probably resident.

Sam Veasna (1966-1999), Cambodian naturalist who was head of the Provincial Wildlife Department in Siem Reap province.

- Davidson, P. et al.** 2001. Mekong Wagtail: the great river's only known avian endemic. *Oriental Bird Club Bulletin* 34: 22-23.
- Duckworth, J.W. & Alström, P.** 2004. *Motacilla samveasnae* is the correct scientific name for the Mekong Wagtail. *Bulletin of the British Ornithologist' Club* 124: 290-292.
- Duckworth, J.W. et al.** 2001. A new species of wagtail from the lower Mekong basin. *Bulletin of the British Ornithologist' Club* 121: 152-182.
- Ebels, E.B.** 2002. New species of wagtail. *Dutch Birding* 24(1): 70-71.
- Fraser, M.** 2005. ListCheck: Nomenclature - Mekong Wagtail. *Birdwatch* 152: 15.
- Handschuh, M. & Packman, C.** 2010. Notebook: First nest record of Mekong Wagtail *Motacilla samveasnae*. *BirdingASIA* 14: 84.
- Hornbuckle, J.** 2002. New to science: Discoveries and dilemmas. *Birdwatch* 121: 24-25.
- Mlíkovský, J.** 2004. Significant bird records from north-east Cambodia in March-April 1999. *Forktail* 20: 102-104 (103).
- Scott, B. & Pitches, A.** 2002. News and comment: New wagtail species honours Cambodian conservationist. *British Birds* 95(2): 94.
- Trai, IeT. & Craik, R.C.** 2008. Little known Asian bird: Mekong Wagtail *Motacilla samveasnae* - resident breeder in Vietnam? *BirdingASIA* 8: 68-69.
- van Rootelaar, O.** 1999. New Birds for the World: species discovered during 1980 - 1999. *Birding World* 12(7): 286-293.
- van Rootelaar, O.** 2002. New birds for the World: species described during 1999 - 2002. *Birding World* 15(10): 428-431 (430).

Japanese Wagtail

Motacilla grandis [Sharpe].

Japan. Winters, some populations S to Taiwan & coastal E China.

- Choi C. & Nam H.** 2008. Distribution of the Japanese Wagtail *Motacilla grandis* in Korea. *Ornithological Science* 7: 85-91.
- Haneda, K. & Shinoda, T.** 1969. [A study of breeding biology of the Japanese Wagtail]. *Journal of the Yamashina Institute for Ornithology* 5(6): 602-622 [in Japanese with English summary].
- Higuchi, H. & Hirano, T.** 1983. [Aberrant plumage of the Japanese Wagtail *Motacilla grandis*]. *Strix* 2: 76-84 [in Japanese].
- Higuchi, H. & Hirano, T.** 1983. Comparative ecology of White and Japanese Wagtails *Motacilla alba* and *M. grandis*, in winter. *Tori* 32: 1-11.
- Higuchi, H. & Hirano, T.** 1989. Breeding season, courtship behaviour, and territoriality of White and Japanese Wagtails *Motacilla alba* and *M. grandis*. *Ibis* 131(4): 578-588.
- Mahaulpatha, T. et al.** 2001. Nestling Diet and Prey Selection of the Japanese Wagtail *Motacilla grandis*. *Journal of the Yamashina Institute for Ornithology* 33: 36-43.
- Nakamura, S.** 1985. Clutch size and breeding success of the Japanese Wagtail *Motacilla grandis*, with a special reference to its habitat and mating system. *Journal of the Yamashina Institute for Ornithology* 17(2): 84-104.
- Ohsako, Y. & Yamagishi, S.** 1989. Pair relationship and female-female aggression in the occasionally bigamous Japanese Wagtail *Motacilla grandis*. *Japanese Journal of Ornithology* 37: 89-101.

White-browed Wagtail

Motacilla maderaspatensis [J.F.Gmelin].

N Pakistan E thru Himalayan foothills to Bangladesh and probably to Arunachal Pradesh (extreme NE India) and S thru most of peninsular India.

Other name: Large Pied Wagtail.

- Acharya, H.N.** 1933. Speed of the Large Pied Wagtail *Motacilla maderaspatensis* (Gmelin). *Journal of the Bombay Natural History Society* 36(4): 996-997.
- Balakrishnan, M.M.** 2012. Storing of nesting materials by White-browed Wagtails. *Newsletter for Birdwatchers* 51(4): 60.
- Bell, D.A.** 1986. An unusual nest site for the Large Pied Wagtail. *Newsletter for Birdwatchers* 26(7-8): 11-12.
- Chanda, S.** 1998. Courtship display of Large Pied Wagtail *Motacilla maderaspatensis* in Kokrajhar, Assam. *Newsletter for Birdwatchers* 35(5): 88.
- Dhamankar, A.** 2003. Large Pied Wagtail in a bus. *Newsletter for Birdwatchers* 43(5): 74.
- Feijen, C. & Feijen, H.R.** 2008. A review of the breeding birds of Bjuatan. *Forktail* 24: 1-24 (12).
- Futehally, Z.** 1977. Nesting of Large Pied Wagtail *Motacilla maderaspatensis*. *Newsletter for Birdwatchers* 17(5): 8.
- Hussain, T. et al.** 1989. Food habits of large pied wagtail (*Motacilla maderaspatensis*). *Pakistan Journal of Agricultural Sciences* 26(4): 426-431.
- Kirkpatrick, K.M.** 1954. The courtship display of the Large Pied Wagtail (*Motacilla maderaspatensis* Gmelin). *Journal of the Bombay Natural History Society* 52: 602-603.
- Kylänpää, J.** 2000. Birds of Dera Ismail Khan District of North West Frontier Province in Pakistan. *Forktail* 16: 15-28 (26).
- Palkar, S.B. et al.** 2007. Breeding notes of six species of birds from Chiplun, Ratnagiri district, Maharashtra (India). *Indian BIRDS* 3(2): 54-59 (57-58).
- Praveen, J.** 2006. On the roosting of Large Pied Wagtails. *Malabar Trogon* 4(2-4): 30.
- Purandare, K.** 2002. Brown Crake *Amauornis akool* Sykes feeding on the eggs of the Large Pied Wagtail *Motacilla maderaspatensis* Gmelin. *Journal of the Bombay Natural History Society* 99(1): 119.
- Sangha, H.S. & Naoroji, R.** 2005. Large Pied Wagtail *Motacilla maderaspatensis* Gmelin in Ladakh. *Journal of the Bombay Natural History Society* 102(3): 341.
- Verzhutskii, B.** 2002. Diet of the Large Pied Wagtail *Motacilla maderaspatensis* in Auroville, Pondicherry. *Zoos' Print Journal* 17(9): 886.